

ISSG Bibliography

2009-2019

Citations (N=255)

1. Bess S., Boachie-Adjei O., Burton D., Cunningham M., Shaffrey C., Shelokov A., Hostin R., Schwab F., Wood K., Akbarnia B.. Pain and disability determine treatment modality for older patients with adult scoliosis, while deformity guides treatment for younger patients. *Spine*. 2009
2. Lafage V., Schwab F., Vira S., Hart R., Burton D., Smith J.S., Boachie-Adjei O., Shelokov A., Hostin R., Shaffrey C.I., Gupta M., Akbarnia B.A., Bess S., Farcy J.-P.. Does vertebral level of pedicle subtraction osteotomy correlate with degree of spinopelvic parameter correction?: Clinical article. *Journal of Neurosurgery: Spine*. 2011
3. Tang J.A., Scheer J.K., Smith J.S., Deviren V., Bess S., Hart R.A., Lafage V., Shaffrey C.I., Schwab F., Ames C.P.. The impact of standing regional cervical sagittal alignment on outcomes in posterior cervical fusion surgery. *Neurosurgery*. 2012
4. Schwab F.J., Hawkinson N., Lafage V., Smith J.S., Hart R., Mundis G., Burton D.C., Line B., Akbarnia B., Boachie-Adjei O., Hostin R., Shaffrey C.I., Arlet V., Wood K., Gupta M., Bess S., Mummaneni P.V.. Risk factors for major peri-operative complications in adult spinal deformity surgery: A multi-center review of 953 consecutive patients. *European Spine Journal*. 2012
5. Smith J.S., Shaffrey C.I., Ames C.P., Demakakos J., Fu K.-M.G., Keshavarzi S., Y. Li C.M., Deviren V., Schwab F.J., Lafage V., Bess S.. Assessment of symptomatic rod fracture after posterior instrumented fusion for adult spinal deformity. *Neurosurgery*. 2012
6. Lafage V., Smith J.S., Bess S., Schwab F.J., Ames C.P., Klineberg E., Arlet V., Hostin R., Burton D.C., Shaffrey C.I.. Sagittal spino-pelvic alignment failures following three column thoracic osteotomy for adult spinal deformity. *European Spine Journal*. 2012
7. Lafage V., Ames C., Schwab F., Klineberg E., Akbarnia B., Smith J., Boachie-Adjei O., Burton D., Hart R., Hostin R., Shaffrey C., Wood K., Bess S.. Changes in thoracic kyphosis negatively impact sagittal alignment after lumbar pedicle subtraction osteotomy: A comprehensive radiographic analysis. *Spine*. 2012
8. Smith J.S., Bess S., Shaffrey C.I., Burton D.C., Hart R.A., Hostin R., Klineberg E.. Dynamic changes of the pelvis and spine are key to predicting postoperative sagittal alignment after pedicle subtraction osteotomy: A critical analysis of preoperative planning techniques. *Spine*. 2012
9. Smith J.S., Shaffrey C.I., Lafage V., Blondel B., Schwab F., Hostin R., Hart R., O'Shaughnessy B., Bess S., Hu S.S., Deviren V., Ames C.P.. Spontaneous improvement of cervical alignment after correction of global sagittal balance following pedicle subtraction osteotomy Presented at the 2012 Joint Spine Section Meeting: Clinical article. *Journal of Neurosurgery: Spine*. 2012
10. Schwab F.J., Patel A., Shaffrey C.I., Smith J.S., Farcy J.-P., Boachie-Adjei O., Hostin R.A., Hart R.A., Akbarnia B.A., Burton D.C., Bess S., Lafage V.. Sagittal realignment failures following pedicle subtraction osteotomy surgery: Are we doing enough? Clinical article. *Journal of Neurosurgery: Spine*. 2012

11. Ames C.P., Smith J.S., Scheer J.K., Bess S., Bederman S.S., Deviren V.T., Lafage V., Schwab F., Shaffrey C.I.. Impact of spinopelvic alignment on decision making in deformity surgery in adults: A review. *Journal of Neurosurgery: Spine*. 2012
12. Lafage V., Bharucha N.J., Schwab F., Hart R.A., Burton D., Boachie-Adjei O., Smith J.S., Hostin R., Shaffrey C., Gupta M., Akbarnia B.A., Bess S.. Multicenter validation of a formula predicting postoperative spinopelvic alignment Clinical article. *Journal of Neurosurgery: Spine*. 2012
13. Scheer J.K., Tang J.A., Smith J.S., Klineberg E., Hart R.A., Mundis Jr. G.M., Burton D.C., Hostin R., O'Brien M.F., Bess S., Kebaish K.M., Deviren V., Lafage V., Schwab F., Shaffrey C.I., Ames C.P.. Reoperation rates and impact on outcome in a large, prospective, multicenter, adult spinal deformity database. *Journal of Neurosurgery: Spine*. 2013
14. Ames C.P., Smith J.S., Scheer J.K., Shaffrey C.I., Lafage V., Deviren V., Moal B., Protopsaltis T., Mummaneni P.V., Mundis Jr. G.M., Hostin R., Klineberg E., Burton D.C., Hart R., Bess S., Schwab F.J.. A standardized nomenclature for cervical spine soft-tissue release and osteotomy for deformity correction. *Journal of Neurosurgery: Spine*. 2013
15. Scheer J.K., Tang J.A., Smith J.S., Acosta Jr. F.L., Protopsaltis T.S., Blondel B., Bess S., Shaffrey C.I., Deviren V., Lafage V., Schwab F., Ames C.P.. Cervical spine alignment, sagittal deformity, and clinical implications: A review. *Journal of Neurosurgery: Spine*. 2013
16. Terran J., Schwab F., Shaffrey C.I., Smith J.S., Devos P., Ames C.P., Fu K.-M.G., Burton D., Hostin R., Klineberg E., Gupta M., Deviren V., Mundis G., Hart R., Bess S., Lafage V.. The SRS-schwab adult spinal deformity classification: Assessment and clinical correlations based on a prospective operative and nonoperative cohort. *Neurosurgery*. 2013
17. Ames C.P., Jian B., Shaffrey C.I.. Spinal Deformity Surgery. *Neurosurgery Clinics of North America*. 2013
18. Hart R.A., McCarthy I., Ames C.P., Shaffrey C.I., Hamilton D.K., Hostin R.. Proximal Junctional Kyphosis and Proximal Junctional Failure. *Neurosurgery Clinics of North America*. 2013
19. Kasliwal M.K., Smith J.S., Kanter A., Chen C.-J., Mummaneni P.V., Hart R.A., Shaffrey C.I.. Management of High-Grade Spondylolisthesis. *Neurosurgery Clinics of North America*. 2013
20. McCarthy I., Hostin R., O'Brien M., Saigal R., Ames C.P.. Health Economic Analysis of Adult Deformity Surgery. *Neurosurgery Clinics of North America*. 2013
21. Mummaneni P.V., Tu T.-H., Ziewacz J.E., Akinbo O.C., Deviren V., Mundis G.M.. The Role of Minimally Invasive Techniques in the Treatment of Adult Spinal Deformity. *Neurosurgery Clinics of North America*. 2013
22. Smith J.S., Shaffrey C.I., Fu K.M.G., Scheer J.K., Bess S., Lafage V., Schwab F., Ames C.P.. Clinical and Radiographic Evaluation of the Adult Spinal Deformity Patient. *Neurosurgery Clinics of North America*. 2013
23. Klineberg E., Schwab F., Smith J.S., Gupta M.C., Lafage V., Bess S.. Sagittal Spinal Pelvic Alignment. *Neurosurgery Clinics of North America*. 2013
24. Bess S., Schwab F., Lafage V., Shaffrey C.I., Ames C.P.. Classifications for Adult Spinal Deformity and Use of the Scoliosis Research Society-Schwab Adult Spinal Deformity Classification. *Neurosurgery Clinics of North America*. 2013

25. Akbar M., Terran J., Ames C.P., Lafage V., Schwab F.. Use of Surgimap Spine in Sagittal Plane Analysis, Osteotomy Planning, and Correction Calculation. *Neurosurgery Clinics of North America*. 2013
26. Fu K.M.G., Smith J.S., Shaffrey C.I., Ames C.P., Bess S.. Coronal Realignment and Reduction Techniques and Complication Avoidance. *Neurosurgery Clinics of North America*. 2013
27. Gupta M.C., Kebaish K., Blondel B., Klineberg E.. Spinal Osteotomies for Rigid Deformities. *Neurosurgery Clinics of North America*. 2013
28. Smith J.S., Klineberg E., Schwab F., Shaffrey C.I., Moal B., Ames C.P., Hostin R., Fu K.-M.G., Burton D., Akbarnia B., Gupta M., Hart R., Bess S., Lafage V.. Change in classification grade by the srs-schwab adult spinal deformity classification predicts impact on health-related quality of life measures; prospective analysis of operative and nonoperative treatment. *Spine*. 2013
29. Schwab F.J., Blondel B., Bess S., Hostin R., Shaffrey C.I., Smith J.S., Boachie-Adjei O., Burton D.C., Akbarnia B.A., Mundis G.M., Ames C.P., Kebaish K., Hart R.A., Farcy J.-P., Lafage V.. Radiographical spinopelvic parameters and disability in the setting of adult spinal deformity: A prospective multicenter analysis. *Spine*. 2013
30. Blondel B., Schwab F., Bess S., Ames C., Mummaneni P.V., Hart R., Smith J.S., Shaffrey C.I., Burton D., Boachie-Adjei O., Lafage V.. Posterior global malalignment after osteotomy for sagittal plane deformity: It happens and here is why. *Spine*. 2013
31. Hart R., McCarthy I., O'brien M., Bess S., Line B., Adjei O.B., Burton D., Gupta M., Ames C., Deviren V., Kebaish K., Shaffrey C., Wood K., Hostin R.. Identification of decision criteria for revision surgery among patients with proximal junctional failure after surgical treatment of spinal deformity. *Spine*. 2013
32. Hostin R., McCarthy I., O'Brien M., Bess S., Line B., Boachie-Adjei O., Burton D., Gupta M., Ames C., Deviren V., Kebaish K., Shaffrey C., Wood K., Hart R.. Incidence, mode, and location of acute proximal junctional failures after surgical treatment of adult spinal deformity. *Spine*. 2013
33. Hart R.A., Cabalo A., Bess S., Akbarnia B.A., Boachie-Adjei O., Burton D., Cunningham M.E., Gupta M., Hostin R., Kebaish K., Klineberg E., Mundis G., Shaffrey C., Smith J.S., Wood K.. Comparison of patient and surgeon perceptions of adverse events after adult spinal deformity surgery. *Spine*. 2013
34. McCarthy I., Hostin R., O'Brien M., Fleming N., Ogola G., Kudyakov R., Richter K., Saigal R., Berven S., Deviren V., Ames C.. Cost-effectiveness of surgical treatment for adult spinal deformity: A comparison of dollars per quality of life improvement across health domains. *Spine Deformity*. 2013
35. McCarthy I.M., Hostin R.A., O'Brien M.F., Fleming N.S., Ogola G., Kudyakov R., Richter K.M., Saigal R., Berven S.H., Ames C.P.. Analysis of the direct cost of surgery for four diagnostic categories of adult spinal deformity. *Spine Journal*. 2013
36. Fu K.-M.G., Smith J.S., Burton D.C., Shaffrey C.I., Boachie-Adjei O., Carlson B., Schwab F.J., Lafage V., Hostin R., Bess S., Akbarnia B.A., Mundis G., Klineberg E., Gupta M.. Outcomes and complications of extension of previous long fusion to the sacro-pelvis: Is an anterior approach necessary?. *World Neurosurgery*. 2013
37. Protopsaltis T., Schwab F., Bronsard N., Smith J.S., Klineberg E., Mundis G., Ryan D.J., Hostin R., Hart R., Burton D., Ames C., Shaffrey C., Bess S., Errico T., Lafage V., The International Spine Study

- Group. The T1 pelvic angle, a novel radiographic measure of global sagittal deformity, accounts for both spinal inclination and pelvic tilt and correlates with health-related quality of life. *Journal of Bone and Joint Surgery - American Volume*. 2014
38. Buckland A.J., Vigdorichik J., Schwab F.J., Errico T.J., Lafage R., Ames C., Bess S., Smith J., Mundis G.M., Lafage V.. Acetabular Anteversion Changes Due to Spinal Deformity Correction: Bridging the Gap between Hip and Spine Surgeons. *Journal of Bone and Joint Surgery - American Volume*. 2014
 39. Clark A.J., Garcia R.M., Keefe M.K., Koski T.R., Rosner M.K., Smith J., Cheng J.S., Shaffrey C.I., McCormick P.C., Ames C.P.. Results of the AANS membership survey of adult spinal deformity knowledge: Impact of training, practice experience, and assessment of potential areas for improved education. *Journal of Neurosurgery: Spine*. 2014
 40. Smith J.S., Shaffrey E., Klineberg E., Shaffrey C.I., Lafage V., Schwab F.J., Protosaltis T., Scheer J.K., Mundis G.M., Jr., Fu K.-M.G., Gupta M.C., Hostin R., Deviren V., Kebaish K., Hart R., Burton D.C., Line B., Bess S., Ames C.P.. Prospective multicenter assessment of risk factors for rod fracture following surgery for adult spinal deformity. *Journal of Neurosurgery: Spine*. 2014
 41. Smith J.S., Singh M., Klineberg E., Shaffrey C.I., Lafage V., Schwab F.J., Protosaltis T., Ibrahimi D., Scheer J.K., Mundis Jr. G., Gupta M.C., Hostin R., Deviren V., Kebaish K., Hart R., Burton D.C., Bess S., Ames C.P.. Surgical treatment of pathological loss of lumbar lordosis (flatback) in patients with normal sagittal vertical axis achieves similar clinical improvement as surgical treatment of elevated sagittal vertical axis: Clinical article. *Journal of Neurosurgery: Spine*. 2014
 42. Scheer J.K., Lafage V., Smith J.S., Deviren V., Hostin R., Mccarthy I.M., Mundis G.M., Burton D.C., Klineberg E., Gupta M.C., Kebaish K.M., Shaffrey C.I., Bess S., Schwab F., Ames C.P.. Impact of age on the likelihood of reaching a minimum clinically important difference in 374 three-column spinal osteotomies: Clinical article. *Journal of Neurosurgery: Spine*. 2014
 43. Slobodyanyuk K., Poorman C.E., Smith J.S., Protosaltis T.S., Hostin R., Bess S., Mundis G.M., Schwab F.J., Lafage V.. Clinical improvement through nonoperative treatment of adult spinal deformity: Who is likely to benefit?. *Neurosurgical Focus*. 2014
 44. Haque R.M., Mundis Jr. G.M., Ahmed Y., El Ahm adieh T.Y., Wang M.Y., Mummaneni P.V., Uribe J.S., Okonkwo D.O., Eastlack R.K., Anand N., Kanter A.S., La Marca F., Akbarnia B.A., Park P., Lafage V.i., Terran J.S., Shaffrey C.I., Klineberg E., Deviren V., Fessler R.G.. Comparison of radiographic results after minimally invasive, hybrid, and open surgery for adult spinal deformity: A multicenter study of 184 patients. *Neurosurgical Focus*. 2014
 45. Bianco K., Norton R., Schwab F., Smith J.S., Klineberg E., Obeid I., Mundis Jr. G., Shaffrey C.I., Kebaish K., Hostin R., Hart R., Gupta M.C., Burton D., Ames C., Boachie-Adjei O., Protosaltis T.S., Lafage V.. Complications and intercenter variability of three-column osteotomies for spinal deformity surgery: A retrospective review of 423 patients. *Neurosurgical Focus*. 2014
 46. Uribe J.S., Deukmedjian A.R., Mummaneni P.V., Fu K.-M.G., Mundis Jr. G.M., Okonkwo D.O., Kanter A.S., Eastlack R., Wang M.Y., Anand N., Fessler R.G., Marca F.L., Park P., Lafage V., Deviren V., Bess S., Shaffrey C.I.. Complications in adult spinal deformity surgery: An analysis of minimally invasive, hybrid, and open surgical techniques. *Neurosurgical Focus*. 2014
 47. Sparrey C.J., Bailey J.F., Safaee M., Clark A.J., Lafage V., Schwab F., Smith J.S., Ames C.P.. Etiology of lumbar lordosis and its pathophysiology: A review of the evolution of lumbar lordosis, and the mechanics and biology of lumbar degeneration. *Neurosurgical Focus*. 2014

48. McCarthy I., O'Brien M., Ames C., Robinson C., Errico T., Polly D.W., Hostin R.. Incremental cost-effectiveness of adult spinal deformity surgery: Observed quality-adjusted life years with surgery compared with predicted quality-adjusted life years without surgery. *Neurosurgical Focus*. 2014
49. Wang M.Y., Mummaneni P.V., Fu K.G., Anand N., Okonkwo D.O., Kanter A.S., La Marca F., Fessler R., Uribe J., Shaffrey C.I., Lafage V., Haque R.M., Deviren V., Mundis Jr. G.M.. Less invasive surgery for treating adult spinal deformities: Ceiling effects for deformity correction with 3 different techniques. *Neurosurgical Focus*. 2014
50. Mummaneni P.V.M., Shaffrey C.I., Lenke L.G., Park P., Wang M.Y., La Marca F., Smith J.S., Mundis G.M., Okonkwo D.O., Moal B., Fessler R.G., Anand N., Uribe J.S., Kanter A.S., Akbarnia B., Fu K.-M.G.. The minimally invasive spinal deformity surgery algorithm: A reproducible rational framework for decision making in minimally invasive spinal deformity surgery. *Neurosurgical Focus*. 2014
51. Liu S., Schwab F., Smith J.S., Klineberg E., Ames C.P., Mundis G., Hostin R., Kebaish K., Deviren V., Gupta M., Boachie-Adjei O., Hart R.A., Bess S., Lafage V.. Likelihood of reaching minimal clinically important difference in adult spinal deformity: A comparison of operative and nonoperative treatment. *Ochsner Journal*. 2014
52. Bess S., Line B.G., Lafage V., Schwab F., Shaffrey C.I., Hart R.A., Boachie-Adjei O., Akbarnia B.A., Ames C.P., Burton D.C., Deverin V., Fu K.-M.G., Gupta M., Hostin R., Kebaish K., Klineberg E., Mundis G., O'Brien M., Shelokov A., Smith J.S.. Does recombinant human bone morphogenetic protein-2 use in adult spinal deformity increase complications and are complications associated with location of rhBMP-2 Use? A prospective, multicenter study of 279 consecutive patients. *Spine*. 2014
53. Fu K.-M.G., Bess S., Shaffrey C.I., Smith J.S., Lafage V., Schwab F., Burton D.C., Akbarnia B.A., Ames C.P., Boachie-Adjei O., Deverin V., Hart R.A., Hostin R., Klineberg E., Gupta M., Kebaish K., Mundis G., Mummaneni P.V.. Patients with adult spinal deformity treated operatively report greater baseline pain and disability than patients treated nonoperatively; However, deformities differ between age groups. *Spine*. 2014
54. Smith J.S., Lafage V., Schwab F.J., Shaffrey C.I., Protosaltis T., Klineberg E., Gupta M., Scheer J.K., Fu K.-M.G., Mundis G., Hostin R., Deviren V., Hart R., Burton D.C., Bess S., Ames C.P.. Prevalence and type of cervical deformity among 470 adults with thoracolumbar deformity. *Spine*. 2014
55. Maier S.P., Smith J.S., Schwab F.J., Obeid I., Mundis G.M., Klineberg E., Hostin R., Hart R.A., Burton D., Boachie-Adjei O., Gupta M., Ames C., Protosaltis T.S., Lafage V.. Revision surgery after 3-column osteotomy in 335 patients with adult spinal deformity intercenter variability and risk factors. *Spine*. 2014
56. Ryan D.J., Protosaltis T.S., Ames C.P., Hostin R., Klineberg E., Mundis G.M., Obeid I., Kebaish K., Smith J.S., Boachie-Adjei O., Burton D.C., Hart R.A., Gupta M., Schwab F.J., Lafage V.. T1 pelvic angle (TPA) effectively evaluates sagittal deformity and assesses radiographical surgical outcomes longitudinally. *Spine*. 2014
57. Kim H.J., Boachie-Adjei O., Shaffrey C.I., Schwab F., Lafage V., Bess S., Gupta M.C., Smith J.S., Deviren V., Akbarnia B., Mundis G.M., O'Brien M., Hostin R., Ames C.. Upper thoracic versus lower thoracic upper instrumented vertebrae endpoints have similar outcomes and complications in adult scoliosis. *Spine*. 2014

58. Lafage V., Blondel B., Smith J.S., Boachie-Adjei O., Hostin R.A., Burton D., Mundis G., Klineberg E., Ames C., Akbarnia B., Bess S., Schwab F.. Preoperative planning for pedicle subtraction osteotomy: Does pelvic tilt matter?. *Spine Deformity*. 2014
59. Moal B., Schwab F., Ames C.P., Smith J.S., Ryan D., Mummaneni P.V., Mundis Jr. G.M., Terran J.S., Klineberg E., Hart R.A., Boachie-Adjei O., Shaffrey C.I., Skalli W., Lafage V.. Radiographic outcomes of adult spinal deformity correction: A critical analysis of variability and failures across deformity patterns. *Spine Deformity*. 2014
60. McCarthy I.M., Hostin R.A., Ames C.P., Kim H.J., Smith J.S., Boachie-Adjei O., Schwab F.J., Klineberg E.O., Shaffrey C.I., Gupta M.C., Polly D.W.. Total hospital costs of surgical treatment for adult spinal deformity: An extended follow-up study. *Spine Journal*. 2014
61. Fu K.-M.G., Smith J.S., Burton D.C., Kebaish K.M., Shaffrey C.I., Schwab F., Lafage V., Arlet V., Hostin R., Boachie O., Akbarnia B., Bess S.. Revision extension to the pelvis versus primary spinopelvic instrumentation in adult deformity: Comparison of clinical outcomes and complications. *World Neurosurgery*. 2014
62. Scheer J.K., Lafage V., Smith J.S., Deviren V., Hostin R., McCarthy I.M., Mundis G.M., Burton D.C., Klineberg E., Gupta M., Kebaish K., Shaffrey C.I., Bess S., Schwab F., Ames C.P.. Maintenance of radiographic correction at 2 years following lumbar pedicle subtraction osteotomy is superior with upper thoracic compared with thoracolumbar junction upper instrumented vertebra. *European Spine Journal*. 2014
63. Liu S., Lafage R., Smith J.S., Protosaltis T.S., Lafage V.C., Challier V., Shaffrey C.I., Radcliff K., Arnold P.M., Chapman J.R., Schwab F.J., Massicotte E.M., Yoon S.T., Fehlings M.G., Ames C.P.. Impact of dynamic alignment, motion, and center of rotation on myelopathy grade and regional disability in cervical spondylotic myelopathy. *Journal of Neurosurgery: Spine*. 2015
64. Soroceanu A., Burton D.C., Diebo B.G., Smith J.S., Hostin R., Shaffrey C.I., Boachie-Adjei O., Mundis G.M., Jr., Ames C., Errico T.J., Bess S., Gupta M.C., Hart R.A., Schwab F.J., Lafage V., International Spine Study Group. Impact of obesity on complications, infection, and patient-reported outcomes in adult spinal deformity surgery. *Journal of Neurosurgery: Spine*. 2015
65. Fakurnejad S., Scheer J.K., Lafage V., Smith J.S., Deviren V., Hostin R., Mundis G.M., Jr., Burton D.C., Klineberg E., Gupta M., Kebaish K., Shaffrey C.I., Bess S., Schwab F., Ames C.P., International Spine Study Group. The likelihood of reaching minimum clinically important difference and substantial clinical benefit at 2 years following a 3-column osteotomy: Analysis of 140 patients. *Journal of Neurosurgery: Spine*. 2015
66. Smith J.S., Shaffrey C.I., Lafage V., Schwab F., Scheer J.K., Protosaltis T., Klineberg E., Gupta M., Hostin R., Fu K.-M.G., Mundis G.M., Jr., Kim H.J., Deviren V., Soroceanu A., Hart R.A., Burton D.C., Bess S., Ames C.P., International Spine Study Group. Comparison of best versus worst clinical outcomes for adult spinal deformity surgery: A retrospective review of a prospectively collected, multicenter database with 2-year follow-up. *Journal of Neurosurgery: Spine*. 2015
67. Protosaltis T.S., Scheer J.K., Terran J.S., Smith J.S., Hamilton D.K., Kim H.J., Mundis G.M., Jr., Hart R.A., McCarthy I.M., Klineberg E., Lafage V., Bess S., Schwab F., Shaffrey C.I., Ames C.P., International Spine Study Group. How the neck affects the back: Changes in regional cervical sagittal alignment correlate to HRQOL improvement in adult thoracolumbar deformity patients at 2-year follow-up. *Journal of Neurosurgery: Spine*. 2015

68. Oh T., Scheer J.K., Eastlack R., Smith J.S., Lafage V., Protopsaltis T.S., Klineberg E., Passias P.G., Deviren V., Hostin R., Gupta M., Bess S., Schwab F., Shaffrey C.I., Ames C.P., International Spine Study Group. Cervical compensatory alignment changes following correction of adult thoracic deformity: A multicenter experience in 57 patients with a 2-year follow-up. *Journal of Neurosurgery: Spine*. 2015
69. Scheer J.K., Smith J.S., Clark A.J., Lafage V., Kim H.J., Rolston J.D., Eastlack R., Hart R.A., Protopsaltis T.S., Kelly M.P., Kebaish K., Gupta M., Klineberg E., Hostin R., Shaffrey C.I., Schwab F., Ames C.P., International Spine Study Group. Comprehensive study of back and leg pain improvements after adult spinal deformity surgery: Analysis of 421 patients with 2-year follow-up and of the impact of the surgery on treatment satisfaction. *Journal of Neurosurgery: Spine*. 2015
70. Park P., Wang M.Y., Lafage V., Nguyen S., Ziewacz J., Okonkwo D.O., Uribe J.S., Eastlack R.K., Anand N., Haque R., Fessler R.G., Kanter A.S., Deviren V., La Marca F., Smith J.S., Shaffrey C.I., Mundis G.M., Jr., Mummaneni P.V., International Spine Study Group. Comparison of two minimally invasive surgery strategies to treat adult spinal deformity. *Journal of Neurosurgery: Spine*. 2015
71. Ames C.P., Smith J.S., Eastlack R., Blaskiewicz D.J., Shaffrey C.I., Schwab F., Bess S., Kim H.J., Mundis G.M., Klineberg E., Gupta M., O'Brien M., Hostin R., Scheer J.K., Protopsaltis T.S., Fu K.-M.G., Hart R., Albert T.J., Riew K.D., Fehlings M.G., Deviren V., Lafage V.. Reliability assessment of a novel cervical spine deformity classification system. *Journal of Neurosurgery: Spine*. 2015
72. Mummaneni P.V., Park P., Fu K.-M., Wang M.Y., Nguyen S., Lafage V., Uribe J.S., Ziewacz J., Terran J., Okonkwo D.O., Anand N., Fessler R., Kanter A.S., Lamarca F., Deviren V., Bess R.S., Schwab F.J., Smith J.S., Akbarnia B.A., Mundis G.M., Shaffrey C.I.. Does minimally invasive percutaneous posterior instrumentation reduce risk of proximal junctional kyphosis in adult spinal deformity surgery? A propensity-matched cohort analysis. *Neurosurgery*. 2015
73. Liu S., Tetreault L., Fehlings M.G., Challier V., Smith J.S., Shaffrey C.I., Arnold P.M., Scheer J.K., Chapman J.R., Kopjar B., Protopsaltis T.S., Lafage V., Schwab F., Massicotte E.M., Yoon S.T., Ames C.P.. Novel method using baseline normalization and area under the curve to evaluate differences in outcome between treatment groups and application to patients with cervical spondylotic myelopathy undergoing anterior versus posterior surgery. *Spine*. 2015
74. Gupta M.C., Ferrero E., Mundis G., Smith J.S., Shaffrey C.I., Schwab F., Kim H.J., Boachie-Adjei O., Lafage V., Bess S., Hostin R., Burton D.C., Ames C.P., Kebaish K., Klineberg E.. Pedicle subtraction osteotomy in the revision versus primary adult spinal deformity patient. *Spine*. 2015
75. Daniels A.H., Smith J.S., Hiratzka J., Ames C.P., Bess S., Shaffrey C.I., Schwab F.J., Lafage V., Klineberg E.O., Burton D., Mundis G.M., Line B., Hart R.A.. Functional limitations due to lumbar stiffness in adults with and without spinal deformity. *Spine*. 2015
76. Scheer J.K., Mundis G.M., Klineberg E., Hart R.A., Deviren V., Nguyen S., Protopsaltis T.S., Gupta M., Bess S., Shaffrey C.I., Schwab F., Lafage V., Smith J.S., Ames C.P.. Postoperative Recovery after Adult Spinal Deformity Surgery: Comparative Analysis of Age in 149 Patients during 2-year Follow-up. *Spine*. 2015
77. Sciubba D.M., Scheer J.K., Smith J.S., Lafage V., Klineberg E., Gupta M., Mundis G.M., Protopsaltis T.S., Kim H.J., Hiratzka J.R., Koski T., Shaffrey C.I., Bess S., Hart R.A., Ames C.P.. Which daily functions are most affected by stiffness following total lumbar fusion: Comparison of upper thoracic and thoracolumbar proximal endpoints. *Spine*. 2015

78. Soroceanu A., Diebo B.G., Burton D., Smith J.S., Deviren V., Shaffrey C., Kim H.J., Mundis G., Ames C., Errico T., Bess S., Hostin R., Hart R., Schwab F., Lafage V.. Radiographical and Implant-Related Complications in Adult Spinal Deformity Surgery: Incidence, Patient Risk Factors, and Impact on Health-Related Quality of Life. *Spine*. 2015
79. Passias P.G., Soroceanu A., Smith J., Boniello A., Yang S., Scheer J.K., Schwab F., Shaffrey C., Kim H.J., Protosaltis T., Mundis G., Gupta M., Klineberg E., Lafage V., Ames C.. Postoperative Cervical Deformity in 215 Thoracolumbar Patients with Adult Spinal Deformity: Prevalence, Risk Factors, and Impact on Patient-Reported Outcome and Satisfaction at 2-Year Follow-up. *Spine*. 2015
80. Saigal R., Clark A.J., Scheer J.K., Smith J.S., Bess S., Mummaneni P.V., McCarthy I.M., Hart R.A., Kebaish K.M., Klineberg E.O., Deviren V., Schwab F., Shaffrey C.I., Ames C.P.. Adult Spinal Deformity Patients Recall Fewer Than 50% of the Risks Discussed in the Informed Consent Process Preoperatively and the Recall Rate Worsens Significantly in the Postoperative Period. *Spine*. 2015
81. Moal B., Lafage V., Smith J.S., Ames C.P., Mundis G., Terran J.S., Klineberg E., Hart R., Boachie-Adjei O., Bess S., Skalli W., Schwab F.. Clinical Improvement Through Surgery for Adult Spinal Deformity: What Can Be Expected and Who Is Likely to Benefit Most?. *Spine Deformity*. 2015
82. Sciubba D.M., Yurter A., Smith J.S., Kelly M.P., Scheer J.K., Goodwin C.R., Lafage V., Hart R.A., Bess S., Kebaish K., Schwab F., Shaffrey C.I., Ames C.P.. A Comprehensive Review of Complication Rates after Surgery for Adult Deformity: A Reference for Informed Consent. *Spine Deformity*. 2015
83. Passias P.G., Soroceanu A., Scheer J., Yang S., Boniello A., Smith J.S., Protosaltis T., Kim H.J., Schwab F., Gupta M., Klineberg E., Mundis G., Lafage R., Hart R., Shaffrey C., Lafage V., Ames C.. Magnitude of preoperative cervical lordotic compensation and C2-T3 angle are correlated to increased risk of postoperative sagittal spinal pelvic malalignment in adult thoracolumbar deformity patients at 2-year follow-up. *Spine Journal*. 2015
84. Maggio D., Ailon T.T., Smith J.S., Shaffrey C.I., Lafage V., Schwab F., Haid R.W., Jr., Protosaltis T., Klineberg E., Scheer J.K., Bess S., Arnold P.M., Chapman J., Fehlings M.G., Ames C., AOSpine North America, International Spine Study Group. Assessment of impact of standing long-cassette radiographs on surgical planning for lumbar pathology: An international survey of spine surgeons. *Journal of Neurosurgery: Spine*. 2015
85. Hostin R., O'Brien M., McCarthy I., Bess S., Gupta M., Klineberg E.. Retrospective study of anterior interbody fusion rates and patient outcomes of using mineralized collagen and bone marrow aspirate in multilevel adult spinal deformity surgery. *Clinical Spine Surgery*. 2016
86. Jalai C.M., Passias P.G., Lafage V., Smith J.S., Lafage R., Poorman G.W., Diebo B., Liabaud B., Neuman B.J., Scheer J.K., Shaffrey C.I., Bess S., Schwab F., Ames C.P., International Spine Study Group (ISSG). A comparative analysis of the prevalence and characteristics of cervical malalignment in adults presenting with thoracolumbar spine deformity based on variations in treatment approach over 2 years. *European Spine Journal*. 2016
87. Diebo B.G., Lafage R., Ames C.P., Bess S., Obeid I., Klineberg E., Cunningham M.E., Smith J.S., Hostin R., Liu S., Passias P.G., Schwab F.J., Lafage V., International Spine Study Group. Ratio of lumbar 3-column osteotomy closure: patient-specific deformity characteristics and level of resection impact correction of truncal versus pelvic compensation. *European Spine Journal*. 2016
88. Hamilton D.K., Kanter A.S., Bolinger B.D., Mundis G.M., Jr., Nguyen S., Mummaneni P.V., Anand N., Fessler R.G., Passias P.G., Park P., La Marca F., Uribe J.S., Wang M.Y., Akbarnia B.A., Shaffrey C.I., Okonkwo D.O., International Spine Study Group (ISSG). Reoperation rates in minimally

- invasive, hybrid and open surgical treatment for adult spinal deformity with minimum 2-year follow-up. *European Spine Journal*. 2016
89. Passias P.G., Soroceanu A., Yang S., Schwab F., Ames C., Boniello A., Smith J., Shaffrey C., Boachie-Adjei O., Mundis G., Burton D., Klineberg E., Hart R., Hamilton D.K., Sciubba D.M., Bess S., Lafage V.. Predictors of revision surgical procedure excluding wound complications in adult spinal deformity and impact on patient-reported outcomes and satisfaction. *Journal of Bone and Joint Surgery - American Volume*. 2016
 90. Theologis A.A., Ailon T., Scheer J.K., Smith J.S., Shaffrey C.I., Bess S., Gupta M., Klineberg E.O., Kebaish K., Schwab F., Lafage V., Burton D., Hart R., Ames C.P., International Spine Study Group. Impact of preoperative depression on 2-year clinical outcomes following adult spinal deformity surgery: The importance of risk stratification based on type of psychological distress. *Journal of Neurosurgery: Spine*. 2016
 91. Smith J.S., Klineberg E., Lafage V., Shaffrey C.I., Schwab F., Lafage R., Hostin R., Mundis G.M., Jr., Errico T.J., Kim H.J., Protosaltis T.S., Hamilton D.K., Scheer J.K., Soroceanu A., Kelly M.P., Line B., Gupta M., Deviren V., Hart R., Burton D.C., Bess S., Ames C.P.. Prospective multicenter assessment of perioperative and minimum 2-year postoperative complication rates associated with adult spinal deformity surgery. *Journal of Neurosurgery: Spine*. 2016
 92. Kelly M.P., Zebala L.P., Kim H.J., Sciubba D.M., Smith J.S., Shaffrey C.I., Bess S., Klineberg E., Mundis G., Jr., Burton D., Hart R., Soroceanu A., Schwab F., Lafage V., International Spine Study Group. Effectiveness of preoperative autologous blood donation for protection against allogeneic blood exposure in adult spinal deformity surgeries: A propensity-matched cohort analysis. *Journal of Neurosurgery: Spine*. 2016
 93. Scheer J.K., Passias P.G., Soroceanu A.M., Boniello A.J., Mundis G.M., Jr., Klineberg E., Kim H.J., Protosaltis T.S., Gupta M., Bess S., Shaffrey C.I., Schwab F., Lafage V., Smith J.S., Ames C.P., International Spine Study Group. Association between preoperative cervical sagittal deformity and inferior outcomes at 2-year follow-up in patients with adult thoracolumbar deformity: Analysis of 182 patients. *Journal of Neurosurgery: Spine*. 2016
 94. Than K.D., Park P., Fu K.-M., Nguyen S., Wang M.Y., Chou D., Nunley P.D., Anand N., Fessler R.G., Shaffrey C.I., Bess S., Akbarnia B.A., Deviren V., Uribe J.S., Marca F.L., Kanter A.S., Okonkwo D.O., Mundis G.M., Jr., Mummaneni P.V.. Clinical and radiographic parameters associated with best versus worst clinical outcomes in minimally invasive spinal deformity surgery. *Journal of Neurosurgery: Spine*. 2016
 95. Bess S., Protosaltis T.S., Lafage V., Lafage R., Ames C.P., Errico T., Smith J.S.. Clinical and radiographic evaluation of adult spinal deformity. *Journal of Spinal Disorders and Techniques*. 2016
 96. Smith J.S., Ramchandran S., Lafage V., Shaffrey C.I., Ailon T., Klineberg E., Protosaltis T., Schwab F.J., O'Brien M., Hostin R., Gupta M., Mundis G., Hart R., Kim H.J., Passias P.G., Scheer J.K., Deviren V., Burton D.C., Eastlack R., Bess S., Albert T.J., Daniel Riew K., Ames C.P., On behalf of The International Spine Study Group. Prospective Multicenter Assessment of Early Complication Rates Associated with Adult Cervical Deformity Surgery in 78 Patients. *Neurosurgery*. 2016
 97. Than K.D., Nguyen S., Park P., Chou D., La Marca F., Uribe J.S., Vogel T.D., Nunley P.D., Eastlack R., Anand N., Kanter A.S., Mummaneni P.V., Mundis G.M., International Spine Study Group. 165 What Is the Effect of Open vs Percutaneous Screws on Complications Among Patients Undergoing Lateral Interbody Fusion for Adult Spinal Deformity?. *Neurosurgery*. 2016

98. Scheer J.K., Ailon T.T., Smith J.S., Hart R., Burton D.C., Bess S., Neuman B.J., Passias P.G., Miller E., Shaffrey C.I., Schwab F., Lafage V., Klineberg E., Ames C.P.. 166 Predictive Modeling of Length of Hospital Stay Following Adult Spinal Deformity Correction: Analysis of 653 Patients With an Accuracy of 75% Within 2 Days. *Neurosurgery*. 2016
99. Smith J.S., Lafage V., Shaffrey C.I., Schwab F., Lafage R., Hostin R., O'brien M., Boachie-Adjei O., Akbarnia B.A., Mundis G.M., Errico T., Kim H.J., Protopsaltis T.S., Hamilton D.K., Scheer J.K., Sciubba D., Ailon T., Fu K.-M.G., Kelly M.P., Zebala L., Line B., Klineberg E., Gupta M., Deviren V., Hart R., Burton D., Bess S., Ames C.P.. Outcomes of operative and nonoperative treatment for adult spinal deformity: A prospective, multicenter, propensity-matched cohort assessment with minimum 2-year follow-up. *Neurosurgery*. 2016
100. Ames C., Gammal I., Matsumoto M., Hosogane N., Smith J.S., Protopsaltis T., Yamato Y., Matsuyama Y., Taneichi H., Lafage R., Ferrero E., Schwab F.J., Lafage V.. Geographic and ethnic variations in radiographic disability thresholds: Analysis of North American and Japanese operative adult spinal deformity populations. *Neurosurgery*. 2016
101. Soroceanu A., Burton D.C., Oren J.H., Smith J.S., Hostin R., Shaffrey C.I., Akbarnia B.A., Ames C.P., Errico T.J., Bess S., Gupta M.C., Deviren V., Schwab F.J., Lafage V.. Medical complications after adult spinal deformity surgery incidence, risk factors, and clinical impact. *Spine*. 2016
102. Scheer J.K., Osorio J.A., Smith J.S., Schwab F., Lafage V., Hart R.A., Bess S., Line B., Diebo B.G., Protopsaltis T.S., Jain A., Ailon T., Burton D.C., Shaffrey C.I., Klineberg E., Ames C.P.. Development of validated computer-based preoperative predictive model for proximal junction failure (PJF) or clinically significant PJK with 86% accuracy based on 510 ASD patients with 2-year follow-up. *Spine*. 2016
103. Jain A., Lafage V., Kelly M.P., Hassanzadeh H., Neuman B.J., Sciubba D.M., Bess S., Shaffrey C.I., Ames C.P., Scheer J.K., Burton D., Gupta M.C., Hart R., Hostin R.A., Kebaish K.M.. Validity, reliability, and responsiveness of SRS-7 as an outcomes assessment instrument for operatively treated patients with adult spinal deformity. *Spine*. 2016
104. Passias P.G., Klineberg E.O., Jalai C.M., Worley N., Poorman G.W., Line B., Oh C., Burton D.C., Kim H.J., Sciubba D.M., Hamilton D.K., Ames C.P., Smith J.S., Shaffrey C.I., Lafage V., Bess S., International Spine Study Group. Hospital Readmission Within 2 Years Following Adult Thoracolumbar Spinal Deformity Surgery: Prevalence, Predictors, and Effect on Patient-derived Outcome Measures. *Spine*. 2016
105. Soroceanu A., Oren J.H., Smith J.S., Hostin R., Shaffrey C.I., Mundis G.M., Ames C.P., Burton D.C., Bess S., Gupta M.C., Deviren V., Schwab F.J., Lafage V., Errico T.J.. Effect of antifibrinolytic therapy on complications, thromboembolic events, blood product utilization, and fusion in adult spinal deformity surgery. *Spine*. 2016
106. Lau D., Funao H., Clark A.J., Nicholls F., Smith J., Bess S., Shaffrey C., Schwab F.J., Lafage V., Deviren V., Hart R., Kebaish K.M., Ames C.P.. The clinical correlation of the hart-issg proximal junctional kyphosis severity scale with health-related quality-of-life outcomes and need for revision surgery. *Spine*. 2016
107. Bess S., Line B., Fu K.-M., Mccarthy I., Lafage V., Schwab F., Shaffrey C., Ames C., Akbarnia B., Jo H., Kelly M., Burton D., Hart R., Klineberg E., Kebaish K., Hostin R., Mundis G., Mummaneni P., Smith J.S.. The health impact of symptomatic adult spinal deformity: Comparison of deformity types to United States population norms and chronic diseases. *Spine*. 2016

108. Hostin R., Robinson C., O'Brien M., Ames C., Schwab F., Smith J.S., Lafage V., Gupta M., Hart R., Burton D., Bess S., Shaffrey C., McCarthy I. A multicenter comparison of inpatient resource use for adult spinal deformity surgery. *Spine*. 2016
109. Lafage R., Schwab F., Challier V., Henry J.K., Gum J., Smith J., Hostin R., Shaffrey C., Kim H.J., Ames C., Scheer J., Klineberg E., Bess S., Burton D., Lafage V.. Defining spino-pelvic alignment thresholds should operative goals in adult spinal deformity surgery account for age?. *Spine*. 2016
110. Gupta M., Henry J.K., Schwab F., Klineberg E., Smith J.S., Gum J., Polly D.W., Liabaud B., Diebo B.G., Kojo Hamilton D., Eastlack R., Passias P.G., Burton D., Protosaltis T., Lafage V.. Dedicated spine measurement software quantifies key spino-pelvic parameters more reliably than traditional picture archiving and communication systems tools. *Spine*. 2016
111. Klineberg E.O., Passias P.G., Jalai C.M., Worley N., Sciubba D.M., Burton D.C., Gupta M.C., Soroceanu A., Zebala L.P., Mundis G.M., Jr., Kim H.J., Hamilton D.K., Hart R.A., Ames C.P., Lafage V.. Predicting extended length of hospital stay in an adult spinal deformity surgical population. *Spine*. 2016
112. Passias P.G., Oh C., Jalai C.M., Worley N., Lafage R., Scheer J.K., Klineberg E.O., Hart R.A., Kim H.J., Smith J.S., Lafage V., Ames C.P.. Predictive model for cervical alignment and malalignment following surgical correction of adult spinal deformity. *Spine*. 2016
113. Harris B.Y., Roth M.F., Diebo B.G., Bess S., Theologis A.A., Scheer J.K., Schwab F.J., Lafage V., Ames C.P., Hodes R., Ayamga J., Boachie-Adjei O.. Investigating the Universality of Preoperative Health-Related Quality of Life (HRQoL) for Surgically Treated Spinal Deformity in Young Adults: A Propensity Score–Matched Comparison Between African and US Populations. *Spine Deformity*. 2016
114. Ailon T., Scheer J.K., Lafage V., Schwab F.J., Klineberg E., Sciubba D.M., Protosaltis T.S., Zebala L., Hostin R., Obeid I., Koski T., Kelly M.P., Bess S., Shaffrey C.I., Smith J.S., Ames C.P.. Adult Spinal Deformity Surgeons Are Unable to Accurately Predict Postoperative Spinal Alignment Using Clinical Judgment Alone. *Spine Deformity*. 2016
115. Liu S., Diebo B.G., Henry J.K., Smith J.S., Hostin R., Cunningham M.E., Mundis G., Ames C.P., Burton D., Bess S., Akbarnia B., Hart R., Passias P.G., Schwab F.J., Lafage V.. The benefit of nonoperative treatment for adult spinal deformity: Identifying predictors for reaching a minimal clinically important difference. *Spine Journal*. 2016
116. Smith J.S., Klineberg E., Shaffrey C.I., Lafage V., Schwab F.J., Protosaltis T., Scheer J.K., Ailon T., Ramachandran S., Daniels A., Mundis G., Gupta M., Hostin R., Deviren V., Eastlack R., Passias P., Hamilton D.K., Hart R., Burton D.C., Bess S., Ames C.P., International Spine Study Group. Assessment of Surgical Treatment Strategies for Moderate to Severe Cervical Spinal Deformity Reveals Marked Variation in Approaches, Osteotomies, and Fusion Levels. *World Neurosurgery*. 2016
117. Park P., Okonkwo D.O., Nguyen S., Mundis G.M., Jr., Than K.D., Deviren V., La Marca F., Fu K.-M., Wang M.Y., Uribe J.S., Anand N., Fessler R., Nunley P.D., Chou D., Kanter A.S., Shaffrey C.I., Akbarnia B.A., Passias P.G., Eastlack R.K., Mummaneni P.V., International Spine Study Group. Can a Minimal Clinically Important Difference Be Achieved in Elderly Patients with Adult Spinal Deformity Who Undergo Minimally Invasive Spinal Surgery?. *World Neurosurgery*. 2016
118. Park P., Wang M.Y., Nguyen S., Mundis G.M., Jr., La Marca F., Uribe J.S., Anand N., Okonkwo D.O., Kanter A.S., Fessler R., Eastlack R.K., Chou D., Deviren V., Nunley P.D., Shaffrey C.I., Mummaneni

- P.V.. Comparison of Complications and Clinical and Radiographic Outcomes between Nonobese and Obese Patients with Adult Spinal Deformity Undergoing Minimally Invasive Surgery. *World Neurosurgery*. 2016
119. Ferrero E., Vira S., Ames C.P., Kebaish K., Obeid I., O'Brien M.F., Gupta M.C., Boachie-Adjei O., Smith J.S., Mundis G.M., Challier V., Protopsaltis T.S., Schwab F.J., Lafage V., International Spine Study Group. Analysis of an unexplored group of sagittal deformity patients: low pelvic tilt despite positive sagittal malalignment. *European Spine Journal*. 2016
 120. Scheer J.K., Mundis G.M., Klineberg E., Hart R.A., Deviren V., Burton D.C., Protopsaltis T.S., Gupta M., Rolston J.D., Bess S., Shaffrey C.I., Schwab F., Lafage V., Smith J.S., Ames C.P.. Recovery following adult spinal deformity surgery: the effect of complications and reoperation in 149 patients with 2-year follow-up. *European Spine Journal*. 2016
 121. Sciubba D.M., Scheer J.K., Yurter A., Smith J.S., Lafage V., Klineberg E., Gupta M., Eastlack R., Mundis G.M., Protopsaltis T.S., Blaskiewicz D., Kim H.J., Koski T., Kebaish K., Shaffrey C.I., Bess S., Hart R.A., Schwab F., Ames C.P.. Patients with spinal deformity over the age of 75: a retrospective analysis of operative versus non-operative management. *European Spine Journal*. 2016
 122. Theologis A.A., Safaee M., Scheer J.K., Lafage V., Hostin R., Hart R.A., Klineberg E.O., Protopsaltis T.S., Deviren V., Burton D.C., Sciubba D.M., Kebaish K., Bess S., Shaffrey C.I., Schwab F., Smith J.S., Ames C.P.. Magnitude, Location, and Factors Related to Regional and Global Sagittal Alignment Change in Long Adult Deformity Constructs. *Clinical Spine Surgery*. 2017
 123. Bakhsheshian J., Scheer J.K., Gum J.L., Horner L., Hostin R., Lafage V., Bess S., Protopsaltis T.S., Burton D.C., Keefe M., Hart R.A., Mundis G.M., Shaffrey C.I., Schwab F., Smith J.S., Ames C.P.. Comparison of structural disease burden to health-related quality of life scores in 264 adult spinal deformity patients with 2-year follow-up: Novel insights into drivers of disability. *Clinical Spine Surgery*. 2017
 124. De la Garza Ramos R., Goodwin C.R., Elder B.D., Boah A.O., Miller E.K., Jain A., Klineberg E.O., Ames C.P., Neuman B.J., Kebaish K.M., Lafage V., Schwab F., Bess S., Sciubba D.M.. Preoperative functional status as a predictor of short-term outcome in adult spinal deformity surgery. *Journal of Clinical Neuroscience*. 2017
 125. Scheer J.K., Bakhsheshian J., Keefe M.K., Lafage V., Bess S., Protopsaltis T.S., Burton D.C., Hart R.A., Shaffrey C.I., Schwab F., Smith J.S., Smith Z.A., Koski T.R., Ames C.P.. Initial Experience with Real-Time Continuous Physical Activity Monitoring in Patients Undergoing Spine Surgery. *Clinical Spine Surgery*. 2017
 126. Protopsaltis T.S., Lafage R., Vira S., Sciubba D., Soroceanu A., Hamilton K., Smith J., Passias P.G., Mundis G., Hart R., Schwab F., Klineberg E., Shaffrey C., Lafage V., Ames C.. Novel Angular Measures of Cervical Deformity Account for Upper Cervical Compensation and Sagittal Alignment. *Clinical Spine Surgery*. 2017
 127. Daniels A.H., Koller H., Hiratzka S.L., Mayer M., Meier O., Contag A.G., Eltorai A.E.M., Hiratzka J., Kojo Hamilton D., Shaffrey C.I., Smith J.S., Bess S., Klineberg E.O., Ames C.P., Lafage V., Line B., Schwab F.J., Hart R.A., Growing Spine Study Group. Selecting caudal fusion levels: 2 year functional and stiffness outcomes with matched pairs analysis in multilevel fusion to L5 versus S1. *European Spine Journal*. 2017
 128. Than K.D., Mummaneni P.V., Bridges K.J., Tran S., Park P., Chou D., La Marca F., Uribe J.S., Vogel T.D., Nunley P.D., Eastlack R.K., Anand N., Okonkwo D.O., Kanter A.S., Mundis G.M., Jr., on behalf

- of the International Spine Study Group. Complication rates associated with open versus percutaneous pedicle screw instrumentation among patients undergoing minimally invasive interbody fusion for adult spinal deformity. *Neurosurgical Focus*. 2017
129. Smith J.S., Shaffrey C.I., Lafage R., Lafage V., Schwab F.J., Kim H.J., Scheer J.K., Protosaltis T., Passias P., Mundis G., Hart R., Neuman B., Klineberg E., Hostin R., Bess S., Deviren V., Ames C.P., ISSG. Three-column osteotomy for correction of cervical and cervicothoracic deformities: alignment changes and early complications in a multicenter prospective series of 23 patients. *European Spine Journal*. 2017
 130. Protosaltis T., Bronsard N., Soroceanu A., Henry J.K., Lafage R., Smith J., Klineberg E., Mundis G., Kim H.J., Hostin R., Hart R., Shaffrey C., Bess S., Ames C., International Spine Study Group. Cervical sagittal deformity develops after PJK in adult thoracolumbar deformity correction: radiographic analysis utilizing a novel global sagittal angular parameter, the CTPA. *European Spine Journal*. 2017
 131. Smith J.S., Shaffrey C.I., Klineberg E., Lafage V., Schwab F., Lafage R., Kim H.J., Hostin R., Mundis G.M., Gupta M., Liabaud B., Scheer J.K., Diebo B.G., Protosaltis T.S., Kelly M.P., Deviren V., Hart R., Burton D., Bess S., Ames C.P.. Complication rates associated with 3-column osteotomy in 82 adult spinal deformity patients: Retrospective review of a prospectively collected multicenter consecutive series with 2-year follow-up. *Journal of Neurosurgery: Spine*. 2017
 132. Scheer J.K., Smith J.S., Schwab F., Lafage V., Shaffrey C.I., Bess S., Daniels A.H., Hart R.A., Protosaltis T.S., Mundis G.M., Jr., Sciubba D.M., Ailon T., Burton D.C., Klineberg E., Ames C.P.. Development of a preoperative predictive model for major complications following adult spinal deformity surgery. *Journal of Neurosurgery: Spine*. 2017
 133. Eastlack R.K., Mundis G.M., Jr., Wang M., Mummaneni P.V., Uribe J., Okonkwo D., Akbarnia B.A., Anand N., Kanter A., Park P., Lafage V., Shaffrey C., Fessler R., Deviren V., International Spine Study Group. Is There a Patient Profile That Characterizes a Patient With Adult Spinal Deformity as a Candidate for Minimally Invasive Surgery?. *Global Spine Journal*. 2017
 134. Theologis A.A., Mundis G.M., Jr., Nguyen S., Okonkwo D.O., Mummaneni P.V., Smith J.S., Shaffrey C.I., Fessler R., Bess S., Schwab F., Diebo B.G., Burton D., Hart R., Deviren V., Ames C., International Spine Study Group. Utility of multilevel lateral interbody fusion of the thoracolumbar coronal curve apex in adult deformity surgery in combination with open posterior instrumentation and L5-S1 interbody fusion: A case-matched evaluation of 32 patients. *Journal of Neurosurgery: Spine*. 2017
 135. Bakhsheshian J., Scheer J.K., Gum J.L., Hostin R., Lafage V., Bess S., Protosaltis T.S., Burton D.C., Keefe M.K., Hart R.A., Mundis G.M., Jr., Shaffrey C.I., Schwab F., Smith J.S., Ames C.P.. Impact of poor mental health in adult spinal deformity patients with poor physical function: A retrospective analysis with a 2-year follow-up. *Journal of Neurosurgery: Spine*. 2017
 136. Ferrero E., Liabaud B., Henry J.K., Ames C.P., Kebaish K., Mundis G.M., Hostin R., Gupta M.C., Boachie-Adjei O., Smith J.S., Hart R.A., Obeid I., Diebo B.G., Schwab F.J., Lafage V.. Sagittal alignment and complications following lumbar 3-column osteotomy: Does the level of resection matter?. *Journal of Neurosurgery: Spine*. 2017
 137. Jain A., Hassanzadeh H., Puvanesarajah V., Klineberg E.O., Sciubba D.M., Kelly M.P., Hamilton D.K., Lafage V., Buckland A.J., Passias P.G., Protosaltis T.S., Lafage R., Smith J.S., Shaffrey C.I., Kebaish K.M.. Incidence of perioperative medical complications and mortality among elderly patients

- undergoing surgery for spinal deformity: Analysis of 3519 patients. *Journal of Neurosurgery: Spine*. 2017
138. Uribe J.S., Beckman J., Mummaneni P.V., Okonkwo D., Nunley P., Wang M.Y., Mundis G.M., Jr., Park P., Eastlack R., Anand N., Kanter A., Lamarca F., Fessler R., Shaffrey C.I., Lafage V., Chou D., Deviren V.. Does MIS surgery allow for shorter constructs in the surgical treatment of adult spinal deformity?. *Neurosurgery*. 2017
139. Goldschmidt E., Angriman F., Agarwal N., Zhou J., Chen K., Tempel Z.J., Gerszten P.C., Kanter A.S., Okonkwo D.O., Passias P., Scheer J., Protosaltis T., Lafage V., Lafage R., Schwab F., Bess S., Ames C., Smith J.S., Shaffrey C.I., Miller E., Jain A., Neuman B., Sciubba D.M., Burton D., Hamilton D.K., International Spine Study Group. A Novel Tool for Deformity Surgery Planning: Determining the Magnitude of Lordotic Correction Required to Achieve a Desired Sagittal Vertical Axis. *World Neurosurgery*. 2017
140. Bumpass D.B., Lenke L.G., Gum J.L., Shaffrey C.I., Smith J.S., Ames C.P., Bess S., Neuman B.J., Klineberg E., Mundis G.M., Jr., Schwab F., Lafage V., Kim H.J., Burton D.C., Kebaish K.M., Hostin R., Lafage R., Kelly M.P., for the International Spine Study Group. Male sex may not be associated with worse outcomes in primary all-posterior adult spinal deformity surgery: A multicenter analysis. *Neurosurgical Focus*. 2017
141. Miller E.K., Neuman B.J., Jain A., Daniels A.H., Ailon T., Sciubba D.M., Kebaish K.M., Lafage V., Scheer J.K., Smith J.S., Bess S., Shaffrey C.I., Ames C.P., and the International Spine Study Group. An assessment of frailty as a tool for risk stratification in adult spinal deformity surgery. *Neurosurgical Focus*. 2017
142. Oh T., Scheer J.K., Smith J.S., Hostin R., Robinson C., Gum J.L., Schwab F., Hart R.A., Lafage V., Burton D.C., Bess S., Protosaltis T., Klineberg E.O., Shaffrey C.I., Ames C.P., and the International Spine Study Group. Potential of predictive computer models for preoperative patient selection to enhance overall quality-adjusted life years gained at 2-year follow-up: A simulation in 234 patients with adult spinal deformity. *Neurosurgical Focus*. 2017
143. Nunley P.D., Mundis G.M., Jr., Fessler R.G., Park P., Zavatsky J.M., Uribe J.S., Eastlack R.K., Chou D., Wang M.Y., Anand N., Frank K.A., Stone M.B., Kanter A.S., Shaffrey C.I., Mummaneni P.V., The International Spine Study Group. Impact of case type, length of stay, institution type, and comorbidities on Medicare diagnosis-related group reimbursement for adult spinal deformity surgery. *Neurosurgical Focus*. 2017
144. Poorman G.W., Passias P.G., Horn S.R., Frangella N.J., Daniels A.H., Hamilton D.K., Kim H., Sciubba D., Diebo B.G., Bortz C.A., Segreto F.A., Kelly M.P., Smith J.S., Neuman B.J., Shaffrey C.I., LaFage V., LaFage R., Ames C.P., Hart R., Mundis G.M., Jr., Eastlack R., on behalf of the International Spine Study Group. Despite worse baseline status depressed patients achieved outcomes similar to those in nondepressed patients after surgery for cervical deformity. *Neurosurgical Focus*. 2017
145. Buckland A.J., Poorman G., Freitag R., Jalai C., Klineberg E.O., Kelly M., Passias P.G.. National Administrative Databases in Adult Spinal Deformity Surgery. *Spine*. 2017
146. Lafage R., Line B.G., Gupta S., Liabaud B., Schwab F., Smith J.S., Gum J.L., Ames C.P., Hostin R., Mundis G.M., Jr., Kim H.J., Bess S., Klineberg E., Lafage V., International Spine Study Group (ISSG). Orientation of the Upper-most Instrumented Segment Influences Proximal Junctional Disease Following Adult Spinal Deformity Surgery. *Spine*. 2017

147. Lafage R., Bess S., Glassman S., Ames C., Burton D., Hart R., Kim H.J., Klineberg E., Henry J., Line B., Scheer J., Protosaltis T., Schwab F., Lafage V., International Spine Study Group. Virtual Modeling of Postoperative Alignment after Adult Spinal Deformity Surgery Helps Predict Associations between Compensatory Spinopelvic Alignment Changes, Overcorrection, and Proximal Junctional Kyphosis. *Spine*. 2017
148. Lafage R., Schwab F., Glassman S., Bess S., Harris B., Sheer J., Hart R., Line B., Henry J., Burton D., Kim H., Klineberg E., Ames C., Lafage V.. Age-Adjusted Alignment Goals Have the Potential to Reduce PJK. *Spine*. 2017
149. Poorman G.W., Passias P.G., Buckland A.J., Jalai C.M., Kelly M., Sciubba D.M., Neuman B.J., Hamilton D.K., Jain A., Diebo B., Lafage V., Bess S., Klineberg E.O., International Spine Study Group (ISSG). Comparative Analysis of Perioperative Outcomes Using Nationally Derived Hospital Discharge Data Relative to a Prospective Multicenter Surgical Database of Adult Spinal Deformity Surgery. *Spine*. 2017
150. Hart R.A., Hiratzka J., Kane M.S., Lafage V., Klineberg E., Ames C.P., Line B.G., Schwab F., Scheer J.K., Bess S., Hamilton D.K., Shaffrey C.I., Mundis G., Smith J.S., Burton D.C., Sciubba D.M., Deviren V., Boachie-Adjei O.. Stiffness after Pan-Lumbar Arthrodesis for Adult Spinal Deformity Does Not Significantly Impact Patient Functional Status or Satisfaction Irrespective of Proximal Endpoint. *Spine*. 2017
151. Gomez J.A., Lafage V., Sciubba D.M., Bess S., Mundis G.M., Liabaud B., Hanstein R., Shaffrey C., Kelly M., Ames C., Smith J.S., Passias P.G., Errico T., Schwab F.. Adult Scoliosis Deformity Surgery. *Spine*. 2017
152. Hamilton D.K., Kong C., Hiratzka J., Contag A.G., Ailon T., Line B., Daniels A., Smith J.S., Passias P., Protosaltis T., Sciubba D., Burton D., Shaffrey C., Klineberg E., Mundis G., Kim H.-J., Lafage V., Lafage R., Scheer J., Boachie-Adjei O., Bess S., Hart R.A.. Patient Satisfaction after Adult Spinal Deformity Surgery Does Not Strongly Correlate with Health-Related Quality of Life Scores, Radiographic Parameters, or Occurrence of Complications. *Spine*. 2017
153. Diebo B.G., Gammal I., Ha Y., Yoon S.H., Chang J.W., Kim B., Matsumoto M., Yamato Y., Takeuchi D., Hosogane N., Yagi M., Taneichi H., Schwab F., Lafage V., Ames C., International Spine Study Group (ISSG). Role of Ethnicity in Alignment Compensation: Propensity Matched Analysis of Differential Compensatory Mechanism Recruitment Patterns for Sagittal Malalignment in 288 ASD Patients from Japan, Korea, and United States. *Spine*. 2017
154. Kim H.J., Iyer S., Zebala L.P., Kelly M.P., Sciubba D., Protosaltis T.S., Gupta M., Neuman B.J., Mundis G.M., Ames C.P., Smith J.S., Hart R., Burton D., Klineberg E.O.. Perioperative neurologic complications in adult spinal deformity surgery. *Spine*. 2017
155. Gum J.L., Carreon L.Y., Kelly M.P., Hostin R., Robinson C., Burton D.C., Polly D.W., Shaffrey C.I., Lafage V., Schwab F.J., Ames C.P., Kim H.J., Smith J.S., Bess R.S., International Spine Study Group. Cell Saver for Adult Spinal Deformity Surgery Reduces Cost. *Spine Deformity*. 2017
156. Mundis G.M., Jr., Turner J.D., Deverin V., Uribe J.S., Nunley P., Mummaneni P., Anand N., Park P., Okonkwo D.O., Wang M.Y., Bess S., Kanter A.S., Fessler R., Nguyen S., Akbarnia B.A.. A Critical Analysis of Sagittal Plane Deformity Correction With Minimally Invasive Adult Spinal Deformity Surgery: A 2-Year Follow-Up Study. *Spine Deformity*. 2017
157. Scheer J.K., Keefe M., Lafage V., Kelly M.P., Bess S., Burton D.C., Hart R.A., Jain A., Lonner B.S., Protosaltis T.S., Hostin R., Shaffrey C.I., Smith J.S., Schwab F., Ames C.P.. Importance of patient-

- reported individualized goals when assessing outcomes for adult spinal deformity (ASD): initial experience with a Patient Generated Index (PGI). *Spine Journal*. 2017
158. Passias P.G., Poorman G.W., Jalai C.M., Line B., Diebo B., Park P., Hart R., Burton D., Schwab F., Lafage V., Bess S., Errico T., International Spine Study Group. Outcomes of open staged corrective surgery in the setting of adult spinal deformity. *Spine Journal*. 2017
 159. Gum J.L., Hostin R., Robinson C., Kelly M.P., Carreon L.Y., Polly D.W., Bess R.S., Burton D.C., Shaffrey C.I., Smith J.S., LaFage V., Schwab F.J., Ames C.P., Glassman S.D., International Spine Study Group. Impact of cost valuation on cost-effectiveness in adult spine deformity surgery. *Spine Journal*. 2017
 160. Passias P.G., Horn S.R., Jalai C.M., Poorman G., Bono O.J., Ramchandran S., Smith J.S., Scheer J.K., Sciubba D.M., Hamilton D.K., Mundis G., Oh C., Klineberg E.O., Lafage V., Shaffrey C.I., Ames C.P.. Comparative analysis of perioperative complications between a multicenter prospective cervical deformity database and the Nationwide Inpatient Sample database. *Spine Journal*. 2017
 161. Hamilton D.K., Buza J.A., III, Passias P., Jalai C., Kim H.J., Ailon T., Gupta M., Sciubba D., Jain A., Ames C.P., Deviren V., Daniels A., Lafage V., Bess S., Klineberg E., Shaffrey C.I., Smith J.S., Hart R., Passias P.G., Kim H.J., Hart R.A., Gupta M.C., Sciubba D.M., Ames C.P., Deviren V., Daniels A., Virginie V., Bess S., Klineberg E.O., Shaffrey C.I., Smith J.S., The International Spine Study Group. The Fate of Patients with Adult Spinal Deformity Incurring Rod Fracture After Thoracolumbar Fusion. *World Neurosurgery*. 2017
 162. Mundis G.M., Jr., Turner J.D., Kabirian N., Pawelek J., Eastlack R.K., Uribe J., Klineberg E., Bess S., Ames C., Deviren V., Nguyen S., Lafage V., Akbarnia B.A., International Spine Study Group. Anterior Column Realignment has Similar Results to Pedicle Subtraction Osteotomy in Treating Adults with Sagittal Plane Deformity. *World Neurosurgery*. 2017
 163. Jain A., Kebaish K.M., Sciubba D.M., Hassanzadeh H., Scheer J.K., Neuman B.J., Lafage V., Bess S., Protosaltis T.S., Burton D.C., Smith J.S., Shaffrey C.I., Hostin R.A., Ames C.P.. Early Patient-Reported Outcomes Predict 3-Year Outcomes in Operatively Treated Patients with Adult Spinal Deformity. *World Neurosurgery*. 2017
 164. Smith J.S., Line B., Bess S., Shaffrey C.I., Kim H.J., Mundis G., Scheer J.K., Klineberg E., O'Brien M., Hostin R., Gupta M., Daniels A., Kelly M., Gum J.L., Schwab F.J., Lafage V., Lafage R., Ailon T., Passias P., Protosaltis T., Albert T.J., Riew K.D., Hart R., Burton D., Deviren V., Ames C.P., Park P.. The health impact of adult cervical deformity in patients presenting for surgical treatment: Comparison to United States population norms and chronic disease states based on the EuroQol-5 dimensions questionnaire. *Clinical Neurosurgery*. 2017
 165. Buckland A.J., Puvanesarajah V., Vigdorichik J., Schwarzkopf R., Jain A., Klineberg E.O., Hart R.A., Callaghan J.J., Hassanzadeh H.. Dislocation of a primary total hip arthroplasty is more common in patients with a lumbar spinal fusion. *Bone and Joint Journal*. 2017
 166. Smith J.S., Shaffrey C.I., Kim H.J., Passias P., Protosaltis T., Lafage R., Mundis G.M., Klineberg E., Lafage V., Schwab F.J., Scheer J.K., Miller E., Kelly M., Hamilton D.K., Gupta M., Deviren V., Hostin R., Albert T., Riew K.D., Hart R., Burton D., Bess S., Ames C.P.. Prospective multicenter assessment of all-cause mortality following surgery for adult cervical deformity. *Clinical Neurosurgery*. 2018
 167. Ailon T., Smith J.S., Shaffrey C.I., Kim H.J., Mundis G., Gupta M., Klineberg E., Schwab F., Lafage V., Lafage R., Passias P., Protosaltis T., Neuman B., Daniels A., Scheer J.K., Soroceanu A., Hart R., Hostin R., Burton D., Deviren V., Albert T.J., Riew K.D., Bess S., Ames C.P.. Outcomes of Operative

- Treatment for Adult Cervical Deformity: A Prospective Multicenter Assessment with 1-Year Follow-up. *Clinical Neurosurgery*. 2018
168. Challier V., Henry J.K., Liu S., Ames C., Kebaish K., Obeid I., Hostin R., Gupta M., Boachie-Adjei O., Smith J.S., Mundis G., Bess S., Schwab F., Lafage V.. Complication Rates and Maintenance of Correction after 3-Column Osteotomy in the Elderly: Report of 55 Patients with 2-Year Follow-up. *Clinical Neurosurgery*. 2018
169. Passias P.G., Jalai C.M., Smith J.S., Lafage V., Diebo B.G., Protosaltis T., Poorman G., Ramchandran S., Bess S., Shaffrey C.I., Ames C.P., Schwab F.. Characterizing Adult Cervical Deformity and Disability Based on Existing Cervical and Adult Deformity Classification Schemes at Presentation and Following Correction. *Clinical Neurosurgery*. 2018
170. Goldschmidt E., Angriman F., Ferreyro B., Agarwal N., Zhou J., Chen K., Tempel Z.J., Gerszten P.C., Kanter A.S., Okonkwo D.O., Passias P., Scheer J., Protosaltis T., Lafage V., Lafage R., Schwab F., Bess S., Ames C., Smith J.S., Burton D., Hamilton D.K.. Design and Testing of 2 Novel Scores That Predict Global Sagittal Alignment Utilizing Cervical or Lumbar Plain Radiographs. *Clinical Neurosurgery*. 2018
171. Passias P.G., Horn S.R., Jalai C.M., Ramchandran S., Poorman G.W., Kim H.J., Smith J.S., Sciubba D., Soroceanu A., Ames C.P., Kojo Hamilton D., Eastlack R., Burton D., Gupta M., Bess S., Lafage V., Schwab F.. Cervical alignment changes in patients developing proximal junctional kyphosis following surgical correction of adult spinal deformity. *Clinical Neurosurgery*. 2018
172. Passias P.G., Jalai C.M., Lafage V., Lafage R., Protosaltis T., Ramchandran S., Horn S.R., Poorman G.W., Gupta M., Hart R.A., Deviren V., Soroceanu A., Smith J.S., Schwab F., Shaffrey C.I., Ames C.P.. Primary drivers of adult cervical deformity: Prevalence, variations in presentation, and effect of surgical treatment strategies on early postoperative alignment. *Clinical Neurosurgery*. 2018
173. Uribe J.S., Januszewski J., Wang M., Anand N., Okonkwo D.O., Mummaneni P.V., Nguyen S., Zavatsky J., Than K., Nunley P., Park P., Kanter A.S., La Marca F., Fessler R., Mundis G.M., Eastlack R.K.. Patients with high pelvic tilt achieve the same clinical success as those with low pelvic tilt after minimally invasive adult deformity surgery. *Clinical Neurosurgery*. 2018
174. Diebo B.G., Lafage V., Varghese J.J., Gupta M., Kim H.J., Ames C., Kebaish K., Shaffrey C., Hostin R., Obeid I., Burton D., Hart R.A., Lafage R., Schwab F.J.. After 9 Years of 3-Column Osteotomies, Are We Doing Better? Performance Curve Analysis of 573 Surgeries with 2-Year Follow-up. *Clinical Neurosurgery*. 2018
175. Witiw C.D., Fessler R.G., Nguyen S., Mummaneni P., Anand N., Blaskiewicz D., Uribe J., Wang M.Y., Kanter A.S., Okonkwo D., Park P., Deviren V., Akbarnia B.A., Eastlack R.K., Shaffrey C., Mundis G.M.. Re-operation after Long-Segment Fusions for Adult Spinal Deformity: The Impact of Extending the Construct below the Lumbar Spine. *Clinical Neurosurgery*. 2018
176. Passias P.G., Poorman G.W., Lafage V., Smith J., Ames C., Schwab F., Shaffrey C., Segreto F.A., Horn S.R., Bortz C.A., Varlotta C.G., Hockley A., Wang C., Daniels A., Neuman B., Hart R., Burton D., Javidan Y., Line B., LaFage R., Bess S., Sciubba D.. Cervical Versus Thoracolumbar Spinal Deformities A Comparison of Baseline Quality-of-Life Burden. *Clinical Spine Surgery*. 2018
177. Hosogane N., Ames C., Matsumoto M., Yagi M., Matsuyama Y., Taneichi H., Yamato Y., Takeuchi D., Schwab F., Shaffrey C., Smith J.S., Bess S., Lafage V.. Ethnic variations in radiographic parameters and SRS-22 scores in adult spinal deformity. *Clinical Spine Surgery*. 2018

178. Miller E.K., Vila-Casademunt A., Neuman B.J., Sciubba D.M., Kebaish K.M., Smith J.S., Alanay A., Acaroglu E.R., Kleinstück F., Obeid I., Sánchez Pérez-Gruoso F.J., Carreon L.Y., Schwab F.J., Bess S., Scheer J.K., Lafage V., Shaffrey C.I., Pellisé F., Ames C.P., The European Spine Study Group, The International Spine Study Group. External validation of the adult spinal deformity (ASD) frailty index (ASD-FI). *European Spine Journal*. 2018
179. Langella F., Villafañe J.H., Lafage V., Smith J.S., Shaffrey C., Kim H.J., Burton D., Hostin R., Bess S., Ames C., Mundis G., Klineberg E., Schwab F., Lafage R., Berjano P.. Xipho-pubic angle (XPA) correlates with patient's reported outcomes in a population of adult spinal deformity: results from a multi-center cohort study. *European Spine Journal*. 2018
180. Yagi M., Ames C.P., Keefe M., Hosogane N., Smith J.S., Shaffrey C.I., Schwab F., Lafage V., Shay Bess R., Matsumoto M., Watanabe K., International Spine Study Group (ISSG). A cost-effectiveness comparisons of adult spinal deformity surgery in the United States and Japan. *European Spine Journal*. 2018
181. Ramchandran S., Protosaltis T.S., Sciubba D., Scheer J.K., Jalai C.M., Daniels A., Passias P.G., Lafage V., Kim H.J., Mundis G., Klineberg E., Hart R.A., Smith J.S., Shaffrey C., Ames C.P., International Spine Study Group. Prospective multi-centric evaluation of upper cervical and infra-cervical sagittal compensatory alignment in patients with adult cervical deformity. *European Spine Journal*. 2018
182. Chou D., Mummaneni P., Anand N., Nunley P., La Marca F., Fu K.-M., Fessler R., Park P., Wang M., Than K., Nguyen S., Uribe J., Zavatsky J., Deviren V., Kanter A., Okonkwo D., Eastlack R., Mundis G., the International Spine Study Group. Treatment of the Fractional Curve of Adult Scoliosis With Circumferential Minimally Invasive Surgery Versus Traditional, Open Surgery: An Analysis of Surgical Outcomes. *Global Spine Journal*. 2018
183. Iyer S., Klineberg E.O., Zebala L.P., Kelly M.P., Hart R.A., Gupta M.C., Hamilton D.K., Mundis G.M., Sciubba D., Ames C.P., Smith J.S., Lafage V., Burton D., Kim H.J., for the International Spine Study Group (ISSG). Dural Tears in Adult Deformity Surgery: Incidence, Risk Factors, and Outcomes. *Global Spine Journal*. 2018
184. Iyer S., Kim H.J., Bao H., Smith J.S., Gupta M., Albert T.J., Protosaltis T.S., Mundis G.M., Passias P., Neuman B.J., Klineberg E.O., Lafage V., Ames C.P.. The Posterior Use of BMP-2 in Cervical Deformity Surgery Does Not Result in Increased Early Complications: A Prospective Multicenter Study. *Global Spine Journal*. 2018
185. Protosaltis T., Terran J., Soroceanu A., Moses M.J., Bronsard N., Smith J., Klineberg E., Mundis G., Kim H.J., Hostin R., Hart R., Shaffrey C., Bess S., Ames C., Schwab F., Lafage V., International Spine Study Group. T1 slope minus cervical lordosis (TS-CL), the cervical answer to PI-LL, defines cervical sagittal deformity in patients undergoing thoracolumbar osteotomy. *International Journal of Spine Surgery*. 2018
186. Passias P.G., Jalai C.M., Worley N., Vira S., Scheer J.K., Smith J.S., Ramachandran S., Soroceanu A., Horn S.R., Poorman G.W., Protosaltis T.S., Klineberg E.O., Sciubba D.M., Kim H.J., Kojo Hamilton D., Lafage R., Lafage V., Ames C.P.. Development of new-onset cervical deformity in nonoperative adult spinal deformity patients with 2-year follow-up. *International Journal of Spine Surgery*. 2018
187. Passias P.G., Horn S.R., Poorman G.W., Daniels A.H., Hamilton D.K., Kim H.J., Diebo B.G., Steinmetz L., Bortz C.A., Segreto F.A., Sciubba D.M., Smith J.S., Neuman B.J., Shaffrey C.I., Lafage R., Lafage V., Ames C., Hart R., Mundis G., Eastlack R.K., Schwab F.J., International Spine Study Group (ISSG). Clinical and radiographic presentation and treatment of patients with cervical deformity

- secondary to thoracolumbar proximal junctional kyphosis are distinct despite achieving similar outcomes: Analysis of 123 prospective CD cases. *Journal of Clinical Neuroscience*. 2018
188. Raad M., Neuman B.J., Jain A., Hassanzadeh H., Passias P.G., Klineberg E., Mundis G.M., Protosaltis T.S., Miller E.K., Smith J.S., Lafage V., Hamilton D.K., Bess S., Kebaish K.M., Sciubba D.M.. The use of patient-reported preoperative activity levels as a stratification tool for short-term and long-term outcomes in patients with adult spinal deformity. *Journal of Neurosurgery: Spine*. 2018
189. Park P., Fu K.-M., Mummaneni P.V., Uribe J.S., Wang M.Y., Tran S., Kanter A.S., Nunley P.D., Okonkwo D.O., Shaffrey C.I., Mundis G.M., Jr., Chou D., Eastlack R., Anand N., Than K.D., Zavatsky J.M., Fessler R.G.. The impact of age on surgical goals for spinopelvic alignment in minimally invasive surgery for adult spinal deformity. *Journal of Neurosurgery: Spine*. 2018
190. Kang J., Hosogane N., Ames C., Schwab F., Hart R., Burton D., Shaffrey C., Smith J.S., Bess S., Lafage V., Cho K.-J., Ha Y., International Spine Study Group and Asian Pacific Spine Study Group. Diversity in surgical decision strategies for adult spine deformity treatment: The effects of neurosurgery or orthopedic training background and surgical experience. *Neurospine*. 2018
191. Passias P.G., Jalai C.M., Lafage V., Poorman G.W., Vira S., Horn S.R., Scheer J.K., Hamilton D.K., Line B.G., Bess S., Schwab F.J., Ames C.P., Burton D.C., Hart R.A., Klineberg E.O.. Recovery Kinetics of Radiographic and Implant-Related Revision Patients Following Adult Spinal Deformity Surgery. *Neurosurgery*. 2018
192. Neuman B.J., Ailon T., Scheer J.K., Klineberg E., Sciubba D.M., Jain A., Zebala L.P., Passias P.G., Daniels A.H., Burton D.C., Protosaltis T.S., Kojo Hamilton D., Ames C.P.. Development and validation of a novel adult spinal deformity surgical invasiveness score: Analysis of 464 patients. *Neurosurgery*. 2018
193. Scheer J.K., Oh T., Smith J.S., Shaffrey C.I., Daniels A.H., Sciubba D.M., Hamilton D.K., Protosaltis T.S., Passias P.G., Hart R.A., Burton D.C., Bess S., Lafage R., Lafage V., Schwab F., Klineberg E.O., Ames C.P.. Development of a validated computer-based preoperative predictive model for pseudarthrosis with 91% accuracy in 336 adult spinal deformity patients. *Neurosurgical Focus*. 2018
194. Khalsa A.S., Mundis G.M., Yagi M., Fessler R.G., Bess S., Hosogane N., Park P., Than K.D., Daniels A., Iorio J., Ledesma J.B., Tran S., Eastlack R.K.. Variability in Assessing Spinopelvic Parameters with Lumbosacral Transitional Vertebrae. *Spine*. 2018
195. Protosaltis T.S., Ramchandran S., Hamilton D.K., Sciubba D., Passias P.G., Lafage V., Lafage R., Smith J.S., Hart R.A., Gupta M., Burton D., Bess S., Shaffrey C., Ames C.P., International Spine Study Group (ISSG). Analysis of Successful Versus Failed Radiographic Outcomes After Cervical Deformity Surgery. *Spine*. 2018
196. Kelly M.P., Kim H.J., Ames C.P., Burton D.C., Carreon L.Y., Polly D.W., Jr., Hostin R., Jain A., Gum J.L., Lafage V., Schwab F.J., Shaffrey C.I., Smith J.S., Bess S., International Spine Study Group. Minimum Detectable Measurement Difference for Health-Related Quality of Life Measures Varies With Age and Disability in Adult Spinal Deformity: Implications for Calculating Minimal Clinically Important Difference. *Spine*. 2018
197. Protosaltis T.S., Lafage R., Smith J.S., Passias P.G., Shaffrey C.I., Kim H.J., Mundis G.M., Ames C.P., Burton D.C., Bess S., Klineberg E., Hart R.A., Schwab F.J., Lafage V.. The Lumbar Pelvic Angle, the

Lumbar Component of the T1 Pelvic Angle, Correlates with HRQOL, PI-LL Mismatch, and it Predicts Global Alignment. *Spine*. 2018

198. Hart R.A., Rastegar F., Contag A., Kane M., Daniels A., Klineberg E., Eastlack R., Smith J.S., Hostin R., Hamilton D.K., Gum J.L., Burton D.C., Sheer J.K., Ames C., Schwab F., Lafage V., Bess S., Shaffrey C., Kebaish K.. Inter-and intra-rater reliability of the hart-ISSG proximal junctional failure severity scale. *Spine*. 2018
199. Scheer J.K., Lafage R., Schwab F.J., Liabaud B., Smith J.S., Mundis G.M., Hostin R., Shaffrey C.I., Burton D.C., Hart R.A., Kim H.J., Bess S., Gupta M., Lafage V., Ames C.P.. Under Correction of Sagittal Deformities Based on Age-adjusted Alignment Thresholds Leads to Worse Health-related Quality of Life whereas over Correction Provides No Additional Benefit. *Spine*. 2018
200. Scheer J.K., Hostin R., Robinson C., Schwab F., Lafage V., Burton D.C., Hart R.A., Kelly M.P., Keefe M., Polly D., Bess S., Shaffrey C.I., Smith J.S., Ames C.P.. Operative Management of Adult Spinal Deformity Results in Significant Increases in QALYs Gained Compared to Nonoperative Management. *Spine*. 2018
201. Raad M., Jain A., Neuman B.J., Hassanzadeh H., Gupta M.C., Burton D.C., Mundis G.M., Lafage V., Klineberg E.O., Hostin R.A., Ames C.P., Bess S., Sciubba D.M., Kebaish K.M.. Association of patient-reported narcotic use with short- and long-term outcomes after adult spinal deformity surgery: Multicenter study of 425 patients with 2-year follow-up. *Spine*. 2018
202. Protopsaltis T.S., Diebo B.G., Lafage R., Henry J.K., Smith J.S., Scheer J.K., Sciubba D.M., Passias P.G., Kim H.J., Hamilton D.K., Soroceanu A., Klineberg E.O., Ames C.P., Shaffrey C.I., Bess S., Hart R.A., Schwab F.J., Lafage V.. Identifying thoracic compensation and predicting reciprocal thoracic kyphosis and proximal junctional kyphosis in adult spinal deformity surgery. *Spine*. 2018
203. Miller E.K., Lenke L.G., Neuman B.J., Sciubba D.M., Kebaish K.M., Smith J.S., Qiu Y., Dahl B.T., Pellise F., Matsuyama Y., Carreon L.Y., Fehlings M.G., Cheung K.M., Lewis S., Dekutoski M.B., Schwab F.J., Boachie-Adjei O., Mehdian H., Bess S., Shaffrey C.I., Ames C.P.. External validation of the adult spinal deformity (asd) frailty index (asd-fi) in the scoli-risk-1 patient database. *Spine*. 2018
204. Passias P.G., Horn S.R., Bortz C.A., Ramachandran S., Burton D.C., Protopsaltis T., Lafage R., Lafage V., Diebo B.G., Poorman G.W., Segreto F.A., Smith J.S., Ames C., Shaffrey C.I., Kim H.J., Neuman B., Daniels A.H., Soroceanu A., Klineberg E.. The relationship between improvements in myelopathy and sagittal realignment in cervical deformity surgery outcomes. *Spine*. 2018
205. Scheer J.K., Osorio J.A., Smith J.S., Schwab F., Hart R.A., Hostin R., Lafage V., Jain A., Burton D.C., Bess S., Ailon T., Protopsaltis T.S., Klineberg E.O., Shaffrey C.I., Ames C.P., International Spine Study Group. Development of a Preoperative Predictive Model for Reaching the Oswestry Disability Index Minimal Clinically Important Difference for Adult Spinal Deformity Patients. *Spine Deformity*. 2018
206. Gabel Z.J., Hart R.A., Clark A.P., Park S.H., Shaffrey C.I., Scheer J.K., Smith J.S., Kelly M.P., DePasse J.M., Gupta M.C., Ames C.P., Daniels A.H.. Adult Spinal Deformity Knowledge in Orthopedic Spine Surgeons: Impact of Fellowship Training, Experience, and Practice Characteristics. *Spine Deformity*. 2018
207. Poorman G.W., Passias P.G., Qureshi R., Hassanzadeh H., Horn S., Bortz C., Segreto F., Jain A., Kelly M., Hostin R., Ames C., Smith J., LaFage V., Burton D., Bess S., Shaffrey C., Schwab F., Gupta M.. Cost-utility analysis of cervical deformity surgeries using 1-year outcome. *Spine Journal*. 2018

208. Passias P.G., Vasquez-Montes D., Poorman G.W., Protopsaltis T., Horn S.R., Bortz C.A., Segreto F., Diebo B., Ames C., Smith J., LaFage V., LaFage R., Klineberg E., Shaffrey C., Bess S., Schwab F., for the ISSG. Predictive model for distal junctional kyphosis after cervical deformity surgery. *Spine Journal*. 2018
209. Yeramaneni S., Ames C.P., Bess S., Burton D., Smith J.S., Glassman S., Gum J.L., Carreon L., Jain A., Zygourakis C., Avramis I., Hostin R., International Spine Study Group. Center variation in episode-of-care costs for adult spinal deformity surgery: results from a prospective, multicenter database. *Spine Journal*. 2018
210. Passias P.G., Jalai C.M., Line B.G., Poorman G.W., Scheer J.K., Smith J.S., Shaffrey C.I., Burton D.C., Fu K.-M.G., Klineberg E.O., Hart R.A., Schwab F., Lafage V., Bess S., International Spine Study Group. Patient profiling can identify patients with adult spinal deformity (ASD) at risk for conversion from nonoperative to surgical treatment: initial steps to reduce ineffective ASD management. *Spine Journal*. 2018
211. Pellisé F., Vila-Casademunt A., Núñez-Pereira S., Domingo-Sàbat M., Bagó J., Vidal X., Alanay A., Acaroglu E., Kleinstück F., Obeid I., Pérez-Grueso F.J.S., Lafage V., Bess S., Ames C., Mannion A.F., European Spine Study Group. The Adult Deformity Surgery Complexity Index (ADSCI): a valid tool to quantify the complexity of posterior adult spinal deformity surgery and predict postoperative complications. *Spine Journal*. 2018
212. Eastlack R.K., Ledesma J.B., Tran S., Khalsa A., Park P., Mummaneni P.V., Chou D., Kanter A.S., Anand N., Nunley P., La Marca F., Fessler R.G., Uribe J.S., Mundis G.M., Jr., International Spine Study Group. Home Versus Rehabilitation: Factors that Influence Disposition After Minimally Invasive Surgery in Adult Spinal Deformity Surgery. *World Neurosurgery*. 2018
213. Ailon T., Hamilton D.K., Klineberg E., Daniels A.H., Lafage V., Bess S., Burton D.C., Gupta M., Schwab F., Ames C.P., Smith J.S., Shaffrey C.I., Hart R.A., International Spine Study Group. Radiographic Fusion Grade Does Not Impact Health-Related Quality of Life in the Absence of Instrumentation Failure for Patients Undergoing Posterior Instrumented Fusion for Adult Spinal Deformity. *World Neurosurgery*. 2018
214. Daniels A.H., DePasse J.M., Durand W., Hamilton D.K., Passias P., Kim H.J., Protopsaltis T., Reid D.B.C., LaFage V., Smith J.S., Shaffrey C., Gupta M., Klineberg E., Schwab F., Burton D., Bess S., Ames C., Hart R.A., International Spine Study Group. Rod Fracture After Apparently Solid Radiographic Fusion in Adult Spinal Deformity Patients. *World Neurosurgery*. 2018
215. Ailon T., Smith J.S., Shaffrey C.I., Soroceanu A., Lafage V., Schwab F., Burton D., Hart R., Kim H.J., Gum J., Hostin R., Kelly M.P., Glassman S., Scheer J.K., Bess S., Ames C.P., the International Spine Study Group. Patients with Adult Spinal Deformity with Previous Fusions Have an Equal Chance of Reaching Substantial Clinical Benefit Thresholds in Health-Related Quality of Life Measures but Do Not Reach the Same Absolute Level of Improvement. *World Neurosurgery*. 2018
216. Daniels A.H., Bess S., Line B., Eltorai A.E.M., Reid D.B.C., Lafage V., Akbarnia B.A., Ames C.P., Boachie-Adjei O., Burton D.C., Deviren V., Kim H.J., Hart R.A., Kebaish K.M., Klineberg E.O., Gupta M., Mundis G.M., Jr., Hostin R.A., Jr., O'Brien M., Schwab F.J., Shaffrey C.I., Smith J.S., International Spine Study Group Foundation. Peak Timing for Complications After Adult Spinal Deformity Surgery. *World Neurosurgery*. 2018
217. Safaee M.M., Scheer J.K., Ailon T., Smith J.S., Hart R.A., Burton D.C., Bess S., Neuman B.J., Passias P.G., Miller E., Shaffrey C.I., Schwab F., Lafage V., Klineberg E.O., Ames C.P., International Spine Study Group. Predictive Modeling of Length of Hospital Stay Following Adult Spinal Deformity

- Correction: Analysis of 653 Patients with an Accuracy of 75% within 2 Days. *World Neurosurgery*. 2018
218. Passias P.G., Bortz C., Horn S., Segreto F., Poorman G., Jalai C., Daniels A., Hamilton D.K., Kim H.J., Sciubba D., Smith J.S., Neuman B., Shaffrey C., Lafage V., Lafage R., Protopsaltis T., Ames C., Hart R., Mundis G., Eastlack R., The International Spine Study Group. Drivers of Cervical Deformity Have a Strong Influence on Achieving Optimal Radiographic and Clinical Outcomes at 1 Year After Cervical Deformity Surgery. *World Neurosurgery*. 2018
219. Reid D.B.C., Daniels A.H., Ailon T., Miller E., Sciubba D.M., Smith J.S., Shaffrey C.I., Schwab F., Burton D., Hart R.A., Hostin R., Line B., Bess S., Ames C.P., International Spine Study Group. Frailty and Health-Related Quality of Life Improvement Following Adult Spinal Deformity Surgery. *World Neurosurgery*. 2018
220. Miller E.K., Ailon T., Neuman B.J., Klineberg E.O., Mundis G.M., Jr., Sciubba D.M., Kebaish K.M., Lafage V., Scheer J.K., Smith J.S., Hamilton D.K., Bess S., Shaffrey C.I., Ames C.P., International Spine Study Group. Assessment of a Novel Adult Cervical Deformity Frailty Index as a Component of Preoperative Risk Stratification. *World Neurosurgery*. 2018
221. Kim H.J., Iyer S., Diebo B.G., Kelly M.P., Sciubba D., Schwab F., Lafage V., Mundis G.M., Shaffrey C.I., Smith J.S., Hart R., Burton D., Bess S., Klineberg E.O., The International Spine Study Group (ISSG). Clinically Significant Thromboembolic Disease in Adult Spinal Deformity Surgery: Incidence and Risk Factors in 737 Patients. *Global Spine Journal*. 2018
222. Bortz C.A., Passias P.G., Segreto F.A., Horn S.R., Lafage R., Smith J.S., Line B.G., Mundis G.M., Kelly M.P., Park P., Sciubba D.M., Hamilton D.K., Gum J.L., Burton D.C., Hart R.A., Schwab F.J., Bess S., Shaffrey C., Klineberg E.O.. Grading of complications after cervical deformity-corrective surgery: Are existing classification systems applicable?. *Clinical Spine Surgery*. 2019
223. Horn S.R., Passias P.G., Bortz C.A., Pierce K.E., Lafage V., Lafage R., Brown A.E., Alas H., Smith J.S., Line B., Deviren V., Mundis G.M., Kelly M.P., Kim H.J., Protopsaltis T., Daniels A.H., Klineberg E.O., Burton D.C., Hart R.A., Schwab F.J., Bess S., Shaffrey C.I., Ames C.P., International Spine Study Group. Predicting extended operative time and length of inpatient stay in cervical deformity corrective surgery. *Journal of Clinical Neuroscience*. 2019
224. Passias P.G., Oh C., Horn S.R., Kim H.J., Hamilton D.K., Sciubba D.M., Neuman B.J., Buckland A.J., Poorman G.W., Segreto F.A., Bortz C.A., Brown A.E., Protopsaltis T.S., Klineberg E.O., Ames C., Smith J.S., Lafage V., International Spine Study Group. Predicting the occurrence of complications following corrective cervical deformity surgery: Analysis of a prospective multicenter database using predictive analytics. *Journal of Clinical Neuroscience*. 2019
225. Passias P.G., Horn S.R., Raman T., Brown A.E., Lafage V., Lafage R., Smith J.S., Bortz C.A., Segreto F.A., Pierce K.E., Alas H., Line B.G., Diebo B.G., Daniels A.H., Kim H.J., Soroceanu A., Mundis G.M., Protopsaltis T.S., Klineberg E.O., Burton D.C., Hart R.A., Schwab F.J., Bess S., Shaffrey C.I., Ames C.P.. The impact of osteotomy grade and location on regional and global alignment following cervical deformity surgery. *Journal of Craniovertebral Junction and Spine*. 2019
226. Passias P.G., Alas H., Lafage R., Diebo B.G., Chern I., Ames C.P., Park P., Than K.D., Daniels A.H., Hamilton D.K., Burton D.C., Hart R.A., Bess S., Line B.G., Klineberg E.O., Shaffrey C.I., Smith J.S., Schwab F.J., Lafage V.. Global spinal deformity from the upper cervical perspective. What is 'Abnormal' in the upper cervical spine?. *Journal of Craniovertebral Junction and Spine*. 2019

227. Durand W.M., Daniels A.H., Hamilton D.K., Passias P.G., Kim H.J., Protosaltis T., Lafage V., Smith J.S., Shaffrey C., Gupta M., Kelly M.P., Klineberg E., Schwab F., Burton D., Bess S., Ames C., Hart R., International Spine Study Group. Younger Patients Are Differentially Affected by Stiffness-Related Disability Following Adult Spinal Deformity Surgery. *World Neurosurgery*. 2019
228. Neuman B.J., Harris A., Jain A., Kebaish K.M., Sciubba D.M., Klineberg E.O., Kim H.J., Zebala L., Mundis G.M., Lafage V., Passias P., Lafage R., Protosaltis T.S., Bess S., Hamilton D.K., Scheer J.K., Ames C.P.. Reciprocal Changes in Cervical Alignment after Thoracolumbar Arthrodesis for Adult Spinal Deformity. *Spine*. 2019
229. Pellisé F., Serra-Burriel M., Smith J.S., Haddad S., Kelly M.P., Vila-Casademunt A., Pérez-Gruoso F.J.S., Bess S., Gum J.L., Burton D.C., Acaroğlu E., Kleinstück F., Lafage V., Obeid I., Schwab F., Shaffrey C.I., Alanay A., Ames C., International Spine Study Group, European Spine Study Group. Development and validation of risk stratification models for adult spinal deformity surgery. *Journal of Neurosurgery: Spine*. 2019
230. Kelly M.P., Kallen M.A., Shaffrey C.I., Smith J.S., Burton D.C., Ames C.P., Lafage V., Schwab F.J., Kim H.J., Klineberg E.O., Bess S.. Examining the Patient-Reported Outcomes Measurement Information System versus the Scoliosis Research Society–22r in adult spinal deformity. *Journal of Neurosurgery: Spine*. 2019
231. Bortz C.A., Passias P.G., Segreto F., Horn S.R., Lafage V., Smith J.S., Line B., Mundis G.M., Kebaish K.M., Kelly M.P., Protosaltis T., Sciubba D.M., Soroceanu A., Klineberg E.O., Burton D.C., Hart R.A., Schwab F.J., Bess S., Shaffrey C.I., Ames C.P.. Indicators for nonroutine discharge following cervical deformity-corrective surgery: Radiographic, surgical, and patient-related factors. *Clinical Neurosurgery*. 2019
232. Ames C.P., Smith J.S., Pellisé F., Kelly M., Gum J.L., Alanay A., Acaroğlu E., Pérez-Gruoso F.J.S., Kleinstück F.S., Obeid I., Vila-Casademunt A., Shaffrey C.I., Jr., Burton D.C., Lafage V., Schwab F.J., Shaffrey C.I., Sr., Bess S., Serra-Burriel M., European Spine Study Group, International Spine Study Group. Development of predictive models for all individual questions of SRS-22R after adult spinal deformity surgery: a step toward individualized medicine. *European Spine Journal*. 2019
233. Sethi R.K., Burton D.C., Wright A.K., Lenke L.G., Cerpa M., Kelly M.P., Daniels A.H., Ames C.P., Klineberg E.O., Mundis G.M., Bess S., Hart R.A., ISSG. The Role of Potentially Modifiable Factors in a Standard Work Protocol to Decrease Complications in Adult Spinal Deformity Surgery: A Systematic Review, Part 2. *Spine Deformity*. 2019
234. Ames C.P., Smith J.S., Pellisé F., Kelly M.P., Gum J.L., Alanay A., Acaroğlu E., Pérez-Gruoso F.J.S., Kleinstück F.S., Obeid I., Vila-Casademunt A., Burton D.C., Lafage V., Schwab F.J., Shaffrey C.I., Bess S., Serra-Burriel M.. Development of Deployable Predictive Models for Minimal Clinically Important Difference Achievement Across the Commonly Used Health-related Quality of Life Instruments in Adult Spinal Deformity Surgery. *Spine*. 2019
235. Iyer S., Kim H.J., Bao H., Smith J.S., Protosaltis T.S., Mundis G.M., Passias P., Neuman B.J., Klineberg E.O., Lafage V., Ames C.P., The International Spine Study Group (ISSG). Cervical Deformity Patients Have Baseline Swallowing Dysfunction but Surgery Does Not Increase Dysphagia at 3 Months: Results From a Prospective Cohort Study. *Global Spine Journal*. 2019
236. Passias P.G., Segreto F.A., Lafage R., Lafage V., Smith J.S., Line B.G., Scheer J.K., Mundis G.M., Hamilton D.K., Kim H.J., Horn S.R., Bortz C.A., Diebo B.G., Vira S., Gupta M.C., Klineberg E.O., Burton D.C., Hart R.A., Schwab F.J., Shaffrey C.I., Ames C.P., Bess S., International Spine Study

- Group. Recovery kinetics following spinal deformity correction: a comparison of isolated cervical, thoracolumbar, and combined deformity morphometries. *Spine Journal*. 2019
237. Agarwal N., Angriman F., Goldschmidt E., Zhou J., Kanter A.S., Okonkwo D.O., Passias P.G., Protosaltis T., Lafage V., Lafage R., Schwab F., Bess S., Ames C., Smith J.S., Shaffrey C.I., Burton D., Kojo Hamilton D., International Spine Study Group. Relationship between body mass index and sagittal vertical axis change as well as health-related quality of life in 564 patients after deformity surgery. *Journal of Neurosurgery: Spine*. 2019
238. Lafage R., Obeid I., Liabaud B., Bess S., Burton D., Smith J.S., Jalai C., Hostin R., Shaffrey C.I., Ames C., Kim H.J., Klineberg E., Schwab F., Lafage V.. Location of correction within the lumbar spine impacts acute adjacent-segment kyphosis. *Journal of Neurosurgery: Spine*. 2019
239. Segreto F.A., Lafage V., Lafage R., Smith J.S., Line B.G., Eastlack R.K., Scheer J.K., Chou D., Frangella N.J., Horn S.R., Bortz C.A., Diebo B.G., Neuman B.J., Protosaltis T.S., Kim H.J., Klineberg E.O., Burton D.C., Hart R.A., Schwab F.J., Bess S., Shaffrey C.I., Ames C.P., Passias P.G.. Recovery Kinetics: Comparison of Patients Undergoing Primary or Revision Procedures for Adult Cervical Deformity Using a Novel Area under the Curve Methodology. *Clinical Neurosurgery*. 2019
240. Chou D., Mundis G., Wang M., Fu K.-M., Shaffrey C., Okonkwo D., Kanter A., Eastlack R., Nguyen S., Deviren V., Uribe J., Fessler R., Nunley P., Anand N., Park P., Mummaneni P., International Spine Study Group. Minimally Invasive Surgery for Mild-to-Moderate Adult Spinal Deformities: Impact on Intensive Care Unit and Hospital Stay. *World Neurosurgery*. 2019
241. Ames C.P., Smith J.S., Pellisé F., Kelly M., Alanay A., Acaroğlu E., Pérez-Gruoso F.J.S., Kleinstück F., Obeid I., Vila-Casademunt A., Burton D., Lafage V., Schwab F., Shaffrey C.I., Bess S., Serra-Burriel M.. Artificial Intelligence Based Hierarchical Clustering of Patient Types and Intervention Categories in Adult Spinal Deformity Surgery: Towards a New Classification Scheme that Predicts Quality and Value. *Spine*. 2019
242. Yang J., Khalifé M., Lafage R., Kim H.J., Smith J., Shaffrey C.I., Burton D.C., Ames C.P., Mundis G.M., Hostin R., Bess S., Klineberg E.O., Hart R.A.A., Schwab F.J., Lafage V.. What Factors Predict the Risk of Proximal Junctional Failure in the Long Term, Demographic, Surgical, or Radiographic?: Results from a Time-dependent ROC Curve. *Spine*. 2019
243. Than K.D., Park P., Tran S., Mundis G.M., Fu K.-M., Uribe J.S., Okonkwo D.O., Nunley P.D., Fessler R.G., Eastlack R.K., Kanter A., Anand N., LaMarca F., Passias P.G., Mummaneni P.V., International Spine Study Group. Analysis of Complications with Staged Surgery for Less Invasive Treatment of Adult Spinal Deformity. *World Neurosurgery*. 2019
244. Smith J.S., Shaffrey C.I., Kim H.J., Passias P., Protosaltis T., Lafage R., Mundis G.M., Jr., Klineberg E., Lafage V., Schwab F.J., Scheer J.K., Kelly M., Hamilton D.K., Gupta M., Deviren V., Hostin R., Albert T., Riew K.D., Hart R., Burton D., Bess S., Ames C.P., on behalf of the International Spine Study Group. Comparison of Best Versus Worst Clinical Outcomes for Adult Cervical Deformity Surgery. *Global Spine Journal*. 2019
245. Passias P.G., Poorman G.W., Horn S.R., Jalai C.M., Bortz C., Segreto F., Diebo B.M., Daniels A., Hamilton D.K., Sciubba D., Smith J., Neuman B., Shaffrey C.I., Lafage V., Lafage R., Schwab F., Bess S., Ames C., Hart R., Soroceanu A., Mundis G., Eastlack R., International Spine Study Group. Effect of Obesity on Radiographic Alignment and Short-Term Complications After Surgical Treatment of Adult Cervical Deformity. *World Neurosurgery*. 2019

246. Daniels A.H., Reid D.B.C., Tran S.N., Hart R.A., Klineberg E.O., Bess S., Burton D., Smith J.S., Shaffrey C., Gupta M., Ames C.P., Hamilton D.K., LaFage V., Schwab F., Eastlack R., Akbarnia B., Kim H.J., Kelly M., Passias P.G., Protosaltis T., Mundis G.M., Jr., International Spine Study Group. Evolution in Surgical Approach, Complications, and Outcomes in an Adult Spinal Deformity Surgery Multicenter Study Group Patient Population. *Spine Deformity*. 2019
247. Eastlack R.K., Srinivas R., Mundis G.M., Nguyen S., Mummaneni P.V., Okonkwo D.O., Kanter A.S., Anand N., Park P., Nunley P., Uribe J.S., Akbarnia B.A., Chou D., Deviren V., International Spine Study Group. Early and Late Reoperation Rates With Various MIS Techniques for Adult Spinal Deformity Correction. *Global Spine Journal*. 2019
248. Passias P.G., Bortz C.A., Segreto F.A., Horn S.R., Lafage R., Lafage V., Smith J.S., Line B., Kim H.J., Eastlack R., Hamilton D.K., Protosaltis T., Hostin R.A., Klineberg E.O., Burton D.C., Hart R.A., Schwab F.J., Bess S., Shaffrey C.I., Ames C.P.. Development of a Modified Cervical Deformity Frailty Index: A Streamlined Clinical Tool for Preoperative Risk Stratification. *Spine*. 2019
249. Park P., Fu K.-M., Eastlack R.K., Tran S., Mundis G.M., Jr., Uribe J.S., Wang M.Y., Than K.D., Okonkwo D.O., Kanter A.S., Nunley P.D., Anand N., Fessler R.G., Chou D., Oppenlander M.E., Mummaneni P.V.. Is achieving optimal spinopelvic parameters necessary to obtain substantial clinical benefit? An analysis of patients who underwent circumferential minimally invasive surgery or hybrid surgery with open posterior instrumentation. *Journal of Neurosurgery: Spine*. 2019
250. Verma R., Lafage R., Scheer J., Smith J., Passias P., Hostin R., Ames C., Mundis G., Burton D., Kim H.J., Bess S., Klineberg E., Schwab F., Lafage V.. Improvement in Back and Leg Pain and Disability following Adult Spinal Deformity Surgery: Study of 324 Patients with 2-year Follow-up and the Impact of Surgery on Patient-reported Outcomes. *Spine*. 2019
251. Yang J., Lafage V., Lafage R., Smith J., Klineberg E.O., Shaffrey C.I., Mundis G., Jr, Hostin R., Burton D., Ames C.P., Bess S., Kim H.J., Schwab F., International Spine Study Group (ISSG). Determinants of Patient Satisfaction 2 Years After Spinal Deformity Surgery: A Latent Class Analysis. *Spine*. 2019
252. Buell T.J., Chen C.-J., Quinn J.C., Buchholz A.L., Mazur M.D., Mullin J.P., Nguyen J.H., Taylor D.G., Bess S., Line B.G., Ames C.P., Schwab F.J., Lafage V., Shaffrey C.I., Smith J.S.. Alignment Risk Factors for Proximal Junctional Kyphosis and the Effect of Lower Thoracic Junctional Tethers for Adult Spinal Deformity. *World Neurosurgery*. 2019
253. Burton D.C., Sethi R.K., Wright A.K., Daniels A.H., Ames C.P., Reid D.B., Klineberg E.O., Harper R., Mundis G.M., Hlubek R.J., Bess S., Hart R.A., Kelly M.P., Lenke L.G.. The Role of Potentially Modifiable Factors in a Standard Work Protocol to Decrease Complications in Adult Spinal Deformity Surgery: A Systematic Review, Part 1. *Spine Deformity*. 2019
254. Iyer S., Kim H.J., Theologis A., Nemani V.M., Albert T.J., Lenke L.G., Burch S., Boachie-Adjei O., Deviren V., Protosaltis T.S., Smith J.S., Scheer J.K., Mizutani J., Kleinberg E.O., Ames C.P.. Outcomes of Fusions From the Cervical Spine to the Pelvis. *Global Spine Journal*. 2019
255. Staub B.N., Lafage R., Kim H.J., Shaffrey C.I., Mundis G.M., Hostin R., Burton D., Lenke L., Gupta M., Ames C., Klineberg E., Bess S., Schwab F., Lafage V.. Cervical mismatch: The normative value of T1 slope minus cervical lordosis and its ability to predict ideal cervical lordosis. *Journal of Neurosurgery: Spine*. 2019